

INDEX TO VOLUME 100

COMPILED BY JEAN FERNER

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. Check-list, only scientific names have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

Abraham, Kenneth F., C. Davison Ankney, and H.

Boyd, Assortative mating by Brant, 201-203

Accipiter nisus, 344-353

A. striatus, 488-490

A. superciliosus, 627

Actitis macularia, 272-284

Adegoke, A. S., The pattern of migration of Village Weaverbirds (*Ploceus cuculatus*) in southwestern Nigeria, 863-870

Aeronautes, 735

Agelaius phoeniceus, 141, 206-208, 363, 461-467, 830

Aidley, David J. (Ed.), Animal migration (rev.), 242-243

Aimophila ruficeps, 186

A. stolzmanni, 228

Ainley, David G., Commentary: Further notes on variation in Leach's Storm-Petrel, 230-233; Gary W. Page, Lisa T. Jones, Lynne E. Stenzel, and Ronald L. LeValley, Beached marine birds and mammals of the North American west coast: a manual for their census and identification (rev.), 255-257; review by, 777

Ainley, Marianne Gosztonyi, reviews by, 764-766, 790-792, 1016-1017

Aix sponsa, 729-730

Alaska, 161-167, 214, 440-450, 469-475, 500-501, 560-566, 593-599, 608-619

Albatross, Wandering, 395-398, 401; Waved, 801-802, 805-806, 808

Alberta, 25-31, 608

Aldrich, Thomas W., and Dennis G. Raveling, Effects of experience and body weight on incubation behavior of Canada Geese, 670-679

Alectoris chukar, 33-47

Ali, Salim, and S. Dillon Ripley, Handbook of the birds of India and Pakistan (rev.), 266

Alliston, W. George, see Haramis, G. Michael, et al.

Altruism (see Communal Breeding)

Amadon, Dean, see Bull, John, and —

Amazilia amabilis, 627

A. saucerrottei, 627

Amazona ochrocephala, 127

Amazonetta brasiliensis, 220

American Ornithologists' Union, Award, 268; Proceedings of the One-Hundredth Stated Meeting, 3AA-37AA

Ammodramus henslowii *henslowii*, 504-505

A. h. houstonensis, 504-505

A. h. susurrans, 504-505

A. savannarum, 106

Amphispiza belli, 186, 828

Anas acuta, 719-721, 950

A. americana, 949-950

A. clypeata, 950

A. crecca, 950

A. cyanoptera, 719-721

A. platyrhynchos, 302-309, 689-696, 719-721, 932-946, 950, 997

A. rubripes, 950, 997

A. strepera, 719, 947-951

Anatomy and morphology of *Aeronautes*, 735; *Amazona ochrocephala*, 127; *Ammodramus henslowii* *henslowii*, 504-505; *A. h. houstonensis*, 504-505; *A. h. susurrans*, 504-505; *Apus affinis*, 735-736; *A. apus*, 735; *Aquila chrysaetos*, 399, 401; *Argentavis magnificens*, 390-402; *Attila cinnamomeus*, 100, 102; *Brachypteracias leptosomus*, 132; *Branta bernicla*, 201-202; *B. canadensis*, 401; *Bubalornis albirostris*, 501-504; *Bucco tamatia*, 135; *Buteo jamaicensis*, 161-167; *Caprimulgus cubanensis* *cubanensis*, 989-990; *C. c. eckmani*, 989-990; *C. c. insulaepinorum*, 989-990; *Carpodacus mexicanus*, 180-186; *Cathartes aura*, 395, 398; *Carthartornis gracilis*, 390; *Centropus ateralbus*, 127; *Colaptes auratus*, 132, 135; *Colinus macrourus*, 735; *C. striatus*, 735; *Coracias benghalensis*, 129; *C. garrulus*, 131; *Coragyps atratus*, 395, 398; *Cygnus olor*, 401; *Cymbilaimus lineatus*, 646-648, 650; *C. sanctaemariae*, 646-648, 650; *Cypsiurus*, 735; *Deltarhynchus flammulatus*, 100, 102; *Diomedea exulans*, 395-398, 401; *Ephippiorhynchus senegalensis*, 400; *Fratercula corniculata*, 593-599; *Fulmarus glacialis*, 593-599; *Galbula dea*, 135; *G. ruficauda*, 127; *Gymnogyps californianus* 393-401; *Gyps fulvus*, 401; *Hirundo pyrrhonota*, 205, 798; *H. rustica*, 205; hybrid of *Icterus chrysater* × *I. mesomelas*, 733-734; hybrid of *Uria aalge* × *U. lomvia*, 236-238; *Hypnelus bicinctus*, 128; *Icterus chrysater*, 733-734; *I. galbula*, 889-892; *I. mesomelas*, 733-734; *Leptoptilos crumeniferus*, 401; *Malacoptila panamensis*, 129, 132; *Manacus manacus*, 740-741; *Meleagris gallopavo*, 401; *Micropanyptila*, 735; *Micropsitta*, 736; *Microhypsops quixensis*, 924-925; *Molothrus aeneus*, 992; *M. armeniti*, 992; *M. ater*, 583-591; *Myiarchus cephalotes*, 100; *M. ferox*, 102; *M. oberi*, 102; *M. tuber-*

INDEX TO VOLUME 100

COMPILED BY JEAN FERNER

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. Check-list, only scientific names have been entered, and in some instances entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

Abraham, Kenneth F., C. Davison Ankney, and H.

Boyd, Assortative mating by Brant, 201-203

Accipiter nisus, 344-353

A. striatus, 488-490

A. superciliosus, 627

Actitis macularia, 272-284

Adegoke, A. S., The pattern of migration of Village Weaverbirds (*Ploceus cuculatus*) in southwestern Nigeria, 863-870

Aeronautes, 735

Agelaius phoeniceus, 141, 206-208, 363, 461-467, 830

Aidley, David J. (Ed.), Animal migration (rev.), 242-243

Aimophila ruficeps, 186

A. stolzmanni, 228

Ainley, David G., Commentary: Further notes on variation in Leach's Storm-Petrel, 230-233; Gary W. Page, Lisa T. Jones, Lynne E. Stenzel, and Ronald L. LeValley, Beached marine birds and mammals of the North American west coast: a manual for their census and identification (rev.), 255-257; review by, 777

Ainley, Marianne Gosztonyi, reviews by, 764-766, 790-792, 1016-1017

Aix sponsa, 729-730

Alaska, 161-167, 214, 440-450, 469-475, 500-501, 560-566, 593-599, 608-619

Albatross, Wandering, 395-398, 401; Waved, 801-802, 805-806, 808

Alberta, 25-31, 608

Aldrich, Thomas W., and Dennis G. Raveling, Effects of experience and body weight on incubation behavior of Canada Geese, 670-679

Alectoris chukar, 33-47

Ali, Salim, and S. Dillon Ripley, Handbook of the birds of India and Pakistan (rev.), 266

Alliston, W. George, see Haramis, G. Michael, et al.

Altruism (see Communal Breeding)

Amadon, Dean, see Bull, John, and —

Amazilia amabilis, 627

A. saucerrottei, 627

Amazona ochrocephala, 127

Amazonetta brasiliensis, 220

American Ornithologists' Union, Award, 268; Proceedings of the One-Hundredth Stated Meeting, 3AA-37AA

Ammodramus henslowii *henslowii*, 504-505

A. h. houstonensis, 504-505

A. h. susurrans, 504-505

A. savannarum, 106

Amphispiza belli, 186, 828

Anas acuta, 719-721, 950

A. americana, 949-950

A. clypeata, 950

A. crecca, 950

A. cyanoptera, 719-721

A. platyrhynchos, 302-309, 689-696, 719-721, 932-946, 950, 997

A. rubripes, 950, 997

A. strepera, 719, 947-951

Anatomy and morphology of *Aeronautes*, 735; *Amazona ochrocephala*, 127; *Ammodramus henslowii* *henslowii*, 504-505; *A. h. houstonensis*, 504-505; *A. h. susurrans*, 504-505; *Apus affinis*, 735-736; *A. apus*, 735; *Aquila chrysaetos*, 399, 401; *Argentavis magnificens*, 390-402; *Attila cinnamomeus*, 100, 102; *Brachypteracias leptosomus*, 132; *Branta bernicla*, 201-202; *B. canadensis*, 401; *Bubalornis albirostris*, 501-504; *Bucco tamatia*, 135; *Buteo jamaicensis*, 161-167; *Caprimulgus cubanensis* *cubanensis*, 989-990; *C. c. eckmani*, 989-990; *C. c. insulaepinorum*, 989-990; *Carpodacus mexicanus*, 180-186; *Cathartes aura*, 395, 398; *Carthartornis gracilis*, 390; *Centropus ateralbus*, 127; *Colaptes auratus*, 132, 135; *Colinus macrourus*, 735; *C. striatus*, 735; *Coracias benghalensis*, 129; *C. garrulus*, 131; *Coragyps atratus*, 395, 398; *Cygnus olor*, 401; *Cymbilaimus lineatus*, 646-648, 650; *C. sanctaemariae*, 646-648, 650; *Cypsiurus*, 735; *Deltarhynchus flammulatus*, 100, 102; *Diomedea exulans*, 395-398, 401; *Ephippiorhynchus senegalensis*, 400; *Fratercula corniculata*, 593-599; *Fulmarus glacialis*, 593-599; *Galbula dea*, 135; *G. ruficauda*, 127; *Gymnogyps californianus* 393-401; *Gyps fulvus*, 401; *Hirundo pyrrhonota*, 205, 798; *H. rustica*, 205; hybrid of *Icterus chrysater* × *I. mesomelas*, 733-734; hybrid of *Uria aalge* × *U. lomvia*, 236-238; *Hypnelus bicinctus*, 128; *Icterus chrysater*, 733-734; *I. galbula*, 889-892; *I. mesomelas*, 733-734; *Leptoptilos crumeniferus*, 401; *Malacoptila panamensis*, 129, 132; *Manacus manacus*, 740-741; *Meleagris gallopavo*, 401; *Micropanyptila*, 735; *Micropsitta*, 736; *Microhypsops quixensis*, 924-925; *Molothrus aeneus*, 992; *M. armeniti*, 992; *M. ater*, 583-591; *Myiarchus cephalotes*, 100; *M. ferox*, 102; *M. oberi*, 102; *M. tuber-*

- culifer, 100; *Notharchus pectoralis*, 131; *Notiochelidon cyanoleuca*, 203-205; *Oceanodroma leucorhoa*, 230-232, 593-599; *Otis tarda*, 401; *Oxyruncus cristatus*, 118; *Panyptila*, 735; *Pedionomus torquatus*, 136; *Pharomachrus mocinno*, 291; *Phylloscopus fuscatus*, 995-996; *Piciformes*, 126-133, 134-138; *Pluvialis dominica*, 607-611; *P. fulva*, 607-611; *Pteroptochos megapodius*, 132; *Ramphastos toco*, 127; *Reinarda*, 735; *Rhytipterna immunda*, 100; *R. holerythra*, 102; *Riparia riparia*, 204; *Sarcoramphus papa*, 395, 398; *Selasphorus ardens*, 311-324; *S. flammula*, 311-324; *S. platycercus*, 324; *S. scintilla*, 311-324; *S. simoni*, 311-324; *S. torridus*, 311-324; *S. "underwoodii"*, 321, 324; *Sirystes sibilator*, 100-103; *Spheniscus magellanicus*, 221-223; *Sphyrapicus nuchalis*, 871; *S. ruber*, 871; *S. thyroideus*, 871, *S. varius*, 871; *Steatornis*, 736; *Stelgidopteryx serripennis*, 204; *Stercorarius parasiticus*, 971-973; *Tachornis*, 735; *Tachycineta bicolor*, 204; *Teratornis incredibilis*, 390, 396, *T. merriami*, 390-402; *Tetrao urogallus*, 401; *Thamnophilus dolatus*, 650; *T. multistriatus*, 650; *T. palliatus*, 650; *Trachyphonus darnaudii*, 128, 131; *T. purpuratus*, 129; *Uria aalge*, 236-238; *U. lomvia*, 236-238; *Vultur gryphus*, 395, 398; *Zenaidura macroura*, 912-916; *Z. graysoni*, 911-918; *Z. macroura*, 911-918
- Anatomy and morphology, color polymorphism, 971-973; phaloid organ, 501-504; sex-determination method, 221-223; sperm-storage glands, 593-599; syrinx, 853-860
- Anderson, Richard B., and Irving Richardson (Eds.), *Enjoying Maine birds: an aid to finding, studying, and attracting birds in Maine* (rev.), 265-266
- Angell, T., and K. C. Balcomb III, *Marine birds and mammals of Puget Sound* (rev.), 777
- Ankney, C. Davison, see Abraham, Kenneth F., et al.; see Scott, D. M., and —
- Anous minutus*, 623
- Antbird, Bicolored, 624; Chestnut-backed, 626; Ocelated, 624; Spotted, 624; Wing-banded, 627
- Antpitta, Fulvous-bellied, 627; Streak-chested, 624
- Antwren, Checker-throated, 626; Dot-winged, 920-925; White-flanked, 624
- Apapane, 977-978
- Aphanotriccus capitalis*, 627
- Aphriza virgata*, 446
- Apus affinis*, 426, 428, 430, 435, 735
- A. apus*, 435, 735-736
- Aquila audax*, 631, 633
- A. chrysaetos*, 399, 401, 630-634, 743-746, 747-748
- A. clanga*, 631, 633
- A. heliaca*, 631, 633
- A. pomarina*, 631, 633
- A. rapax*, 631, 633-634
- A. verreauxi*, 631-633
- Ara ambigua*, 623
- Aratinga finschi*, 627
- Archilochus alexandri*, 828
- Ardea herodias*, 478
- Argentavis magnificens*, 390-402
- Argentina, 220-221, 485-486
- Arizona, 45, 496
- Arkansas, 932-946
- Arnold, Keith A., Eva Jolene Boyd, and Charles T. Collins, *Natal and juvenal plumages of the Blue-and-white Swallow* (*Notiochelidon cyanoleuca*), 203-205; A new subspecies of Henslow's Sparrow (*Ammodramus henslowii*), 504-505
- Arremon aurantirostris*, 107
- Atkins, Anselm, *Commentary: The capitalization of birds' names*, 1003-1004
- Attila cinnamomeus*, 100, 102
- Auklet, Cassin's, 214; Rhinoceros, 979-981
- Aulacorhynchus prasinus*, 289
- Automolus dorsalis*, 651
- A. melanopezus*, 651
- Aythya affinis*, 950
- A. americana*, 717-725, 950
- A. valisineria*, 950
- Baker, Myron Charles, see Tomback, Diana F., et al.
- Balaban, Evan, review by, 1011-1012
- Ball, Gregory F., *Functional incubation in male Barn Swallows*, 998-1000
- Balph, David F., and Martha Hatch Balph, *Commentary: On the psychology of watching birds: the problem of observer-expectancy bias*, 755-757
- Balph, Martha Hatch, see Balph, David F., and —
- Banks, Richard C., review by, 1015-1016
- Baptista, Luis F., review by, 782-783; William I. Boarman, and Paraskevas Kandianidis, *Behavior and taxonomic status of Grayson's Dove*, 907-919
- Barlow, Jon C., *Songs of vireos and their allies. Family Vireonidae: vireos, peppershrikes, shrike-vireos, and greenlets* (rev.), 520-521
- Barre, Nicolas, and Armand Barau, *Oiseaux de la Réunion* (rev.), 541-543
- Barth, Edvard K., review by, 259
- Baryphthengus martii*, 623-624
- Beaver, Donald L., see Rabe, Dale L., et al.
- Becard, Black-and-White, 627
- Beczy, Thomas L., *Catalogue of the oological collection of the Museum in Oradea* (rev.), 267
- Beecher, Michael D., see Stoddard, Philip K., and —
- Bee-eater, Blue-throated, 425-437
- Beehler, Bruce, *Frugivory and polygamy in birds of paradise*, 1-12; *Lek behavior of the Lesser Bird of Paradise*, 992-995
- Begon, Michael, and Martin Mortimer, *Population ecology: a unified study of animals and plants* (rev.), 514-515
- Behavior of *Actitis macularia*, 279-281; *Agelaius phoeniceus*, 461-467; *Aix sponsa*, 730; *Anas platyrhynchos*, 308-309, 997; *A. rubripes*, 997; *A. strepera*, 947-951; *Aquila chrysaetos*, 630-634, 745, 747-748; *Branta bernicla*, 201-202; *B. canadensis*, 670-678; *Bubulcus ibis*, 960-968; *Butorides striatus*, 195-197;

- Calidris alpina*, 440, 443-444; *C. fuscicollis*, 500-501; *C. himantopus*, 440-443; *C. pusilla*, 440, 444, 446; *Caprimulgus cubanensis insulaepinorum*, 990; *Casmerodius albus*, 195-197, 960-968; *Cerorhinca monocerata*, 979-981; *Charadrius alexandrinus*, 22-23; *Chondrohierax uncinatus*, 749-750; *Chordeiles gundlachi*, 986; *C. minor*, 986; *Corvus brachyrhynchos*, 478-479, 482; *C. corax*, 21-23; *Cymbilaimus lineatus*, 649-650; *C. sanctaemariae*, 649-650; *Dendragapus obscurus*, 653-657; *Dendrocygna autumnalis*, 728-729; *Diomedea irrorata*, 806; *Diphyllodes magnificus*, 3-8; *Egretta caerulea*, 960-968; *E. thula*, 195-197, 960-968; *E. tricolor*, 960-968; *Epimachus albertsi*, 3-8; *Falco columbarius*, 489; *F. peregrinus*, 489; *Fringilla coelebs*, 493-495; *Fulmarus glacialis*, 598-599; *Geospiza fortis*, 192-194; *G. scandens*, 192-194; *Haliaeetus leucocephalus*, 477-483; *Himantopus mexicanus*, 997; *Hirundo pyrrhonota*, 797-798; *Larosterna inca*, 806; *Larus argentatus*, 997; *L. atricilla*, 636-643; *L. belcheri*, 806; *L. californicus*, 21-23; *L. delawarensis*, 210-212, 217-220, 997; *L. dominicans*, 806; *L. glaucescens*, 979-981; *L. heermanni*, 980-981; *L. marinus*, 63-74; *L. modestus*, 806; *L. pipixcan*, 806; *Lophorina superba*, 3-8; *Manacus manacus*, 741; *Manucodia chalybatus*, 3-8; *M. keraudrenii*, 3-8; *Melanerpes formicivorus*, 731-732; *Microhousia quixensis*, 920-925; *Mimus polyglottos*, 153-156, 403-413, 497-499; *Molothrus ater*, 139-147, 363, 366; *Oceanodroma leucorhoa*, 599; *Oxyruncus cristatus*, 117-124; *Pandion haliaetus*, 489; *Paradisaea minor*, 992-994; *P. raggiana*, 3-8; *P. rudolphi*, 3-8; *Parotia lawesii*, 3-8; *Parus bicolor*, 414-423; *P. major*, 898-905; *Pelecanoides garnoti*, 806; *Pelecanus occidentalis*, 636-643, 682-683, 806; *Phaethon rubricauda*, 953-959; *Phalacrocorax bougainvillii*, 682-683, 806; *P. gaimardi*, 806; *P. olivaceus*, 806; *P. pelagicus*, 980-981; *Pharomachus mocino*, 289-294; *Pheucticus melanocephalus*, 105-115; *Phoenicopterus chilensis*, 997; *P. ruber*, 997; *Plegadis falcinellus*, 960-968; *Ploceus cucullatus*, 866-869; *Ptiloris magnificus*, 3-8; *Puffinus griseus*, 806; *Rissa tridactyla*, 469-475; *Rostratula benghalensis*, 48-54; *Rostrhamus sociabilis*, 84-91, 93-97; *Rynchops niger*, 997-998; *Sceloporus minor*, 711-716; *Selasphorus flammula*, 321; *S. scintilla*, 321; *S. simoni*, 321; *S. torridus*, 320-321; *Syrstes sibilator*, 98; *Spheniscus humboldti*, 806; *Stercorarius pomarinus*, 806; *Sterna hirundo*, 1001-1002; *Sula variegata*, 682-683, 806; *Tachyeres leucocephalus*, 485-486; *T. patagonicus*, 485-486; *T. ptenes*, 485-486; *Tyrannus verticalis*, 496; *Uria aalge*, 980-981; *Xema sabini*, 806; *Zenaidura macroura*, 908, 911-912; *Z. macroura*, 908, 911-912; *Zonotrichia leucophrys*, 452-460
- Behavior, activity patterns**, 85-86, 153-156, 363, 366, 406-413, 653-657, 921-924, 949-950, 994, 997-998; **age-related**, 94, 279-280, 421, 636-643, 842, 938-942; **agonistic**, 65, 67-73, 86, 107-109, 119, 122, 139-147, 155, 217-220, 421-422, 456-457, 471-475, 631, 639, 641, 643, 682-683, 731, 745, 948-951, 986; **altruistic** (see Communal breeding); **antipredator**, 497-499, 990, 997-998; **bill-tucking**, 997-998; **breeding**, 48-54, 63-74, 99, 105-115, 117-124, 153-156, 192-194, 201-202, 210-212, 217-220, 279-281, 291-294, 308-309, 320-321, 366, 403-413, 440-450, 469-475, 497-499, 500-501, 598-599, 630-634, 653-657, 670-678, 682-683, 728-729, 730, 731-732, 741, 745, 797-798, 911-912, 921-925, 990, 993-994; **cannibalistic**, 731-732; **copulatory**, 294, 411-413, 598-599, 921, 993-994; **courtship**, 52, 54, 122-123, 320-321, 366, 411-413, 440, 500-501, 911-912, 921, 993; **defecation**, 1001-1002; **dominance**, 139-147, 366, 471-475, 631, 682-683, 741, 922, 948-951, 994; **effect of environment on**, 69, 86-90, 192-194, 471, 475, 479-481, 496; **feeding**, 3-8, 65-66, 72-74, 84-91, 93-97, 98-99, 110, 118-119, 123-124, 155-156, 192-194, 195-197, 217-220, 286-299, 363, 461-467, 471-475, 477-483, 496, 598, 630, 636-643, 673, 676, 711-716, 731-732, 747-748, 800-809, 866-869, 921-925, 948-951, 960-968, 979-981, 1001-1002; **feeding aggregation**, 118-119; **foraging** (see Behavior, feeding); **forced copulation**, 308-309; **incubation**, 49-53, 64-66, 71, 73, 108-109, 155, 407-413, 670-678, 921, 990; **individual distance**, 145-146; **infanticide**, 731-732; **interspecific**, 139-147, 493-495, 636-643, 682-683, 949-951, 960-968, 979-981, 986; **learning**, 201-202, 421, 461-467, 493-495, 640-641; **lek**, 123, 992-994; **locomotion**, 86-90, 118, 153-154, 440-450, 456, 479, 482, 485-486, 500-501, 749-750, 912, 954; **maintenance**, 86, 90; **mate fidelity**, 210-211; **mate replacement**, 728-729; **mating preference**, 201-202, 745; **movements in the home range**, 866-869; **nesting**, 64-65, 99, 102, 108, 154, 406-413, 497-499, 673, 730, 911-912, 921, 953-959; **pair**, 52-54, 67-68, 71, 109, 114-115, 122-123, 440, 500-501, 598-599, 747-748, 911-912, 922, 947-951; **parental care**, 48-54, 63-74, 109, 112-115, 192-194, 217-220, 292-293, 472, 475, 630, 731-732, 797-798, 921-925; **preening**, 139-147; **roosting**, 86, 363, 483; **sexual differences in**, 48-54, 63-74, 293, 420, 500-501, 604-606, 747-748, 921-925, 938-942, 994; **site tenacity**, 210, 279-281; **social**, 73, 139-147, 366, 414-423, 568-576, 749-750, 997-998; **territorial**, 65, 67, 69-72, 110, 119, 121-122, 156, 404-405, 411-413, 421-422, 440-450, 452-460, 653-657, 683, 741, 745, 898-905, 921, 923, 986, 1001-1002; **thermoregulatory**, 146, 153, 958; **vocal**, 65-67, 69-73, 98-99, 101, 105-115, 119-123, 320-321, 403-413, 414-423, 440-450, 452-460, 493-495, 500, 568-581, 797-798, 898-905, 908, 911-912
- Beissinger, Steven R.**, Hunting behavior, prey selection, and energetics of Snail Kites in Guyana: consumer choice by a specialist, 84-92
- Bellbird**, Three-wattled, 289
- Bellrose, Frank C.**, Ducks, geese and swans of North America (rev.), 246-248

- Bentz, Gregory Dean, Myology and histology of the phalloid organ of the Buffalo Weaver (*Bubalornis albirostris*), 501-504
- Bermuda, 212-213
- Bewick, Thomas, Thomas Bewick's birds (watercolors and engravings) (rev.), 515-516
- Bezzel, E., F. Lechner, and H. Ranftl, Arbeitsatlas der Brutvogel Bayerns (rev.), 518-520
- Biebach, Herbert, Genetic determination of partial migration in the European Robin (*Erithacus rubecula*), 601-606
- Biedenweg, Douglas W., Time and energy budgets of the Mockingbird (*Mimus polyglottos*) during the breeding season, 149-160
- Bird of Paradise, Blue, 1-10; Lawes' Six-wired, 1-10; Lesser, 992-994; Loria's, 2; Magnificent, 1-10; Raggiana, 1-10; Superb, 1-10
- Blackbird, Brewer's, 360, 363; European, 106; Red-winged, 141, 206-208, 363, 461-467, 830; Rusty, 141
- Blackshaw, Susan R., review by, 546
- Bluebird, Eastern, 106; Mountain, 362; Western, 362
- Boarman, William L., see Baptista, Luis F., et al.
- Boekelheide, Robert J., see Pyle, Peter B., et al.
- Bohn, Paul W., Sr., A glimpse into the sparkling world of our lovely hummingbirds (rev.), 266-267
- Bolin, Susan B., see Linz, George M., et al.
- Bolivia, 645-646
- Bombicilla cedrorum*, 491-493
- Bonner, John Tyler, The evolution of culture in animals (rev.), 264
- Booby, Blue-footed, 801-802, 805; Peruvian, 680-687, 800-808
- Boyd, Eva Jolene, see Arnold, Keith A., et al.
- Boyd, H., see Abraham, Kenneth F., et al.
- Brachypteryx leptosomus*, 132
- Brachyramphus brevirostris*, 214
- B. marmoratus*, 214
- Bradley, David W., see Bradley, Richard A., and —
- Bradley, Richard A., and David W. Bradley, Co-occurring groups of wintering birds in the lowlands of Southern California, 491-493; review by, 1015-1016
- Brant, 201-202
- Branta bernicla*, 201-202
- B. canadensis*, 401, 670-678
- Braun, Barbara M., and George L. Hunt, Jr., Brood reduction in Black-legged Kittiwake, 469-476
- Brazil, 220, 645-646
- Breeding of (see also Behavior, breeding; Breeding season; Breeding success; Clutch size; Eggs; Incubation and incubation period; Nest and nest site) *Accipiter nisus*, 344-353; *Actitis macularia*, 272-284; *Agelaius phoeniceus*, 206-207, 363; *Aix sponsa*, 729-730; *Anas acuta*, 719-721; *A. cyanoptera*, 719-721; *A. platyrhynchos*, 302-309, 689-696, 719-721; *A. strepera*, 719; *Aquila audax*, 631, 633; *A. chrysaetos*, 630-634, 743-746; *A. clanga*, 631, 633; *A. heliaca*, 631-633; *A. pomarina*, 631, 633; *A. rapax*, 631, 633-634; *A. verreauxi*, 631-633; *Aythya americana*, 717-725; *Branta bernicla*, 201-202; *B. canadensis*, 670-678; *Bubulcus ibis*, 76-82; *Buteo jamaicensis*, 163-166; *Calidris alpina*, 440-450; *C. fuscicollis*, 500-501; *C. himantopus*, 440-450; *C. pusilla*, 440-450; *Caprimulgus cubanensis insulapinorum*, 990; *Carduelis psaltria*, 363; *Carpodacus cassinii*, 363; *C. purpureus*, 363; *Casmerodius albus*, 76-82; *Catharus guttatus*, 363; *Catherpes mexicanus*, 363; *Certhia americana*, 362; *Charadrius alexandrinus*, 13-23; *Chen caerulescens*, 215-217, 335-342; *C. rossii*, 335-342; *Chordeiles gundlachii*, 983-987; *C. minor*, 983-987; *Collocalia esculenta*, 425-437; *Contopus borealis*, 362; *C. sordidulus*, 362; *Cyanocitta stelleri*, 362; *Dendragapus obscurus*, 653-657; *Dendrocygna autumnalis*, 728-729; *Dendroica coronata*, 360, 362; *D. kirtlandii*, 974-976; *D. occidentalis*, 361-362; *D. petechia*, 362; *Egretta thula*, 76-82; *E. tricolor*, 76-82; *Empidonax hammondi*, 362; *E. oberholseri*, 362; *E. traillii*, 362; *Eudocimus albus*, 76-82; *Euphagus cyanocephalus*, 363; *Falco kreyenborgi*, 269-271; *F. peregrinus*, 269-271; *Fatercula corniculata*, 593-599; *Fulmarus glacialis*, 593-599; *Gallus gallus*, 583, 590-591; *Geospiza fortis*, 192-194; *G. scandens*, 192-194; *Haliaeetus leucocephalus*, 631, 633; *Hieraaetus fasciatus*, 631-633; *H. pennatus*, 631, 633; *Hirundo pyrrhonota*, 795-799; *H. rustica*, 362, 998-1000; *H. tahitica*, 425-437; *Icterus galbula*, 893; *Junco hyemalis*, 363, 367; *Larus atricilla*, 76-82; *L. delawarensis*, 210-212, 217-220, 658-667, 726-727; *L. marinus*, 63-74; *Manacus manacus*, 740-742; *Melanerpes formicivorus*, 731-732; *Melospiza lincolni*, 363; *M. melodia*, 363; *Merops viridis*, 425-437; *Microhousia quixensis*, 920-925; *Mimus polyglottos*, 149-159, 403-413, 497-499; *Molothrus ater*, 360-368, 583-591; *Myadestes townsendi*, 362; *Nycticorax nycticorax*, 76-82, 699-708; *Oceanodroma leucorhoa*, 230-232, 593-599; *Oporornis tolmiei*, 362; *Oxyruncus cristatus*, 117-124; *Oxyura jamaicensis*, 717-725; *Paradisaea minor*, 992-994; *Parus gambeli*, 362; *Passer domesticus*, 25-31; *Passerella iliaca*, 363; *Passerina amoena*, 363; *Pelecanus occidentalis*, 680-687; *Phaethon rubricauda*, 953-959; *Phalacrocorax bougainvillii*, 680-687; *Pharomachrus mocinno*, 291-297; *Phaeocephalus melanocephalus*, 105-115, 363; *Pipilo chlorurus*, 363; *P. erythrophthalmus*, 363; *Piranga ludoviciana*, 363; *Plegadis falcinellus*, 76-82; *Pluvialis dominica*, 615; *P. fulva*, 615; *Regulus satrapa*, 361-362; *Rissa tridactyla*, 469-475; *Rostratula benghalensis*, 48-54; *Selasphorus flammula*, 320-321; *S. scintilla*, 320-321; *S. simoni*, 320-321; *S. torridus*, 320-321; *Sialia currucoides*, 362; *S. mexicana*, 362; *Syrstes sibilator*, 99; *Spinus cucullatus*, 738; *Spizella passerina*, 363; *Stelgidopteryx serripennis*, 362; *Stephanoaetus coronatus*, 631, 633; *Sterna caspia*, 369-379; *S. maxima*, 76-82; *S. sandvicensis*, 76-82; *Sturnus vulgaris*, 926-930; *Sula variegata*, 680-687; *Tachycineta bicolor*, 750-753; *Troglodytes troglodytes*, 362; *Turdus migratorius*, 362; *Tyrannus tyrannus*, 362

- nus, 326-332; *Vermivora ruficapilla*, 362; *Vireo gilvus*, 361-362, 367; *V. huttoni*, 362; *V. solitarius*, 362; *Wilsonia pusilla*, 363; *Zonotrichia leucophrys*, 56-61, 363, 811-824
- Breeding, energy costs of, 28-31; intraseasonal variation in, 25-31
- Breeding season of *Accipiter nisus*, 345-347; *Anas acuta*, 719; *A. cyanoptera*, 719; *A. platyrhynchos*, 692, 719; *A. strepera*, 719; *Aythya americana*, 718-719; *Charadrius alexandrinus*, 15, 18-20; *Chen caerulescens*, 336; *C. rossii*, 336; *Larus delawarensis*, 659-660, 727; *Manacus manacus*, 741; *Melanerpes formicivorus*, 731-732; *Microrhopias quixensis*, 921; *Mimus polyglottos*, 154, 498; *Molothrus ater*, 360, 364-365, 584-586; *Nycticorax nycticorax*, 701-702; *Oceanodroma leucorhoa*, 232; *Oxyruncus cristatus*, 119; *Oxyura jamaicensis*, 718-719; *Passer domesticus*, 25-31; *Pelecanus occidentalis*, 683; *Phalacrocorax bougainvillii*, 683; *Pharomachrus mocinno*, 294; *Pheucticus melanocephalus*, 105-115; *Pluvialis dominica*, 608, 612; *P. fulva*, 608, 612; *Rostratula benghalensis*, 49-50; *Selasphorus ardens*, 317-318; *S. flamula*, 317-318; *S. scintilla*, 317-318; *S. simoni*, 317-318; *S. torridus*, 317-318; *Spinus cucullatus*, 738; *Sula variegata*, 683; *Zonotrichia leucophrys*, 811
- Breeding success of *Accipiter nisus*, 347; *Actitis macularia*, 273-284; *Aix sponsa*, 730; *Anas acuta*, 719-720; *A. cyanoptera*, 720; *A. platyrhynchos*, 693-694, 719-720; *Aquila chrysaetos*, 744-745; *Aythya americana*, 719-721; *Branta canadensis*, 670-678; *Charadrius alexandrinus*, 16-23; *Chen caerulescens*, 339; *C. rossii*, 339; *Collocalia esculenta*, 426; *Dendrocygna autumnalis*, 728; *Dendroica kirtlandii*, 974-976; *Geospiza fortis*, 192-194; *G. scandens*, 192-193; *Hirundo tahitica*, 426; *Larus delawarensis*, 210-212, 217-220, 660-667; *Merops viridis*, 426; *Mimus polyglottos*, 158, 498; *Molothrus ater*, 364-368; *Nycticorax nycticorax*, 699-708; *Oxyura jamaicensis*, 719-721; *Passer domesticus*, 25-31; *Phaethon rubricauda*, 958; *Pharomachrus mocinno*, 296-297; *Rissa tridactyla*, 471, 475; *Tachycineta bicolor*, 752-753; *Tyrannus tyrannus*, 326-332; *Zonotrichia leucophrys*, 56-61, 811-824
- Breeding success, effects of forced copulation on, 302-309; effects of interference on, 367-368, 694, 745, 823-824; effects of pollutants on, 699-708; intraseasonal variation in, 25-31
- British Columbia, 653-657
- Brown, Leslie H., Emil K. Urban, and Kenneth Newman, *The birds of Africa*, Vol. 1 (rev.), 1005-1009
- Brown, R. G. B., review by, 249-250
- Bryant, David M., and Christopher J. Hails, Energetics and growth patterns of three tropical bird species, 425-439
- Bubalornis albirostris*, 501-504
- Bubo virginianus*, 829
- Bubulcus ibis*, 76-82, 960-968
- Bucco tamatia*, 135
- Bull, John, and Dean Amadon, In Memoriam: Eugene Eisenmann, 188-191
- Bull, P. C., P. D. Gaze, and C. J. R. J. Robertson, Bird distribution in New Zealand. A provisional atlas 1969-1976 (rev.), 518-520
- Bunn, D. S., A. B. Warburton, and R. D. S. Wilson, The Barn Owl (rev.), 532-535
- Bunting, Lazuli, 363
- Burger, J., review by, 516
- Burns, Jeffrey T., see Cheng, Kimberly M., et al.
- Bustard, Great, 401
- Butcherbird, 107
- Buteo jamaicensis*, 161-167, 478, 554-555
- Butler, Ronald G., and Saskia Janes-Butler, Sexual differences in the behavior of adult Great Black-backed Gulls (*Larus marinus*) during the pre- and post-hatch periods, 63-75
- Butorides striatus*, 195-197
- Byers, Steven M., review by, 547-548
- Cacicus uropygialis*, 625
- Cacique, Scarlet-rumped, 625
- Cairns, D. K., Commentary: Evidence for hybrid murre reconsidered—a comment, 237-238
- Caldwell, Gloria Sullivan, and Roberta Wolff Rubinoff, Avoidance of venomous sea snakes by native herons and egrets, 195-198
- Calidris alba*, 447-449
- C. alpina*, 283-284, 440, 443-444, 446-450
- C. bairdii*, 446, 448-449
- C. canutus*, 448
- C. ferruginea*, 447, 449
- C. fuscicollis*, 448-449, 500-501
- C. himantopus*, 440-444, 446-450
- C. maritima*, 449
- C. mauri*, 447
- C. minuta*, 447-448
- C. minutilla*, 444, 446-449
- C. ptilocnemis*, 448-449
- C. pusilla*, 440, 444-450
- C. subminuta*, 449
- C. temminckii*, 283-284, 448-449
- California, 13-23, 45, 149-159, 180-186, 355-368, 369-379, 452-460, 491-493, 568-581, 811-824, 826-851, 874, 907-918, 995-996
- Callipepla squamata*, 33-47
- Calls (see Vocalizations)
- Camarhynchus parvulus*, 229
- Campbell, Kenneth E., Jr., and Eduardo P. Tonni, Size and locomotion in teratorns (Aves: Teratornithidae), 390-403
- Canary, 493-495
- Capercaillie, 401
- Caprimulgus cubanensis cubanensis*, 989-990
- C. c. eckmani*, 989-990
- C. c. insulaeapinorum*, 988-991
- C. europaeus*, 106
- Capsiempis flaveola*, 627
- Cardinal, Northern, 107

- Cardinalis cardinalis*, 107
Carduelis chloris, 107
C. lawrencei, 107
C. pinus, 491-493
C. psaltria, 186, 363, 828
C. tristis, 107, 828
Carpodacus cassinii, 363, 491-493
C. mexicanus, 180-186, 491-493, 828
C. purpureus, 363, 491-493
Casmerodius albus, 76-82, 195-197, 960-968
Cassel, J. Frank, see Linz, George M., et al.
Catbird, Gray, 106, 170-178
Cathartes aura, 395, 398
Cathartornis gracilis, 390, 396
Catharus guttatus, 363, 491-493, 995
C. minimus, 106
C. occidentalis, 106
Catherpes mexicanus, 362
Celeus loricatus, 627
C. spectabilis, 651
Centropus ateralbus, 127
Cercomacra sp. nov., 651
Cerorhinca monocerata, 979-981
Certhia americana, 362, 491-493
Certhidea olivacea, 226, 229
Chachalaca, Gray-headed, 623; Plain, 623
Chaetura cinereiventris, 627
Chaffinch, 493-495
Chalybura urochrysa, 623
Chamaea fasciata, 106
Chang, James Wanfu, A field guide to the birds of Taiwan (rev.), 546
Charadrius alexandrinus, 13-23
C. vociferus, 854
Chasiempis sandwichensis, 106
Cheeseman, C. L., and R. B. Mitson (Eds.), Telemetry studies of vertebrates (rev.), 545-546
Chen caerulescens, 215-217, 335-342
C. rossii, 335-342
Cheng, Kimberly M., Jeffrey T. Burns, and Frank McKinney, Forced copulation in captive Mallards III. Sperm competition, 302-310
Cherry, Jeffrey D., see Kerlinger, Paul, et al.
Chickadee, Mountain, 362, 491-493
China, 608
Chlorothraupis carmioli, 627
Chondrohierax uncinatus, 749-750
Chordeiles acutipennis, 984-986
C. gundlachii, 983-987
C. minor, 983-987
Christmas Island, 953-959
Chukar, 33-47
Cinclus cinclus, 106
C. mexicanus, 106
Circus cyaneus, 279
Cistothorus palustris, 829
Clark, L., R. E. Ricklefs, and R. W. Schreiber, Nest-site selection by the Red-tailed Tropicbird, 953-959
Clutch size of *Accipiter nisus*, 347, 349, 351; *Actitis macularia*, 277-278; *Anas platyrhynchos*, 692, 695-696; *Aythya americana*, 718, 723; *Ereuneta canadensis*, 670, 673, 676-677; *Caprimulgus cubanensis insularis*, 990; *Chen caerulescens*, 215-216, 337-339; *C. rossii*, 337-339; *Chordeiles gundlachii*, 984; *C. minor*, 984; *Collocalia esculenta*, 426; *Dendrocygna autumnalis*, 728; *Gallus gallus*, 591; *Hirundo tahitica*, 426; *Larus delawarensis*, 211, 659-660, 726-727; *Merops viridis*, 426; *Molothrus ater*, 586-591; *Nycticorax nycticorax*, 701-706; *Oxyura jamaicensis*, 718, 723; *Passer domesticus*, 25-31; *Pharomachrus mocinno*, 295; *Rissa tridactyla*, 470-471; *Rostratula benghalensis*, 49; *Tachycineta bicolor*, 751; *Tyrannus tyrannus*, 326-332; *Zonotrichia leucophrys*, 812-815
Cnemophilus loriae, 2
Coccothraustes vespertina, 836
Coccyzus americanus, 844
Colaptes auratus, 132, 135, 491-493, 828
Colinus virginianus, 33-47
Colinus macrourus, 735
C. striatus, 735
Collins, Charles T., see Arnold, Keith A., et al., A reinterpretation of pampodactyly in swifts: a convergent grasping mechanism in vertebrates, 735-737
Collins, Scott L., Geographic variation in habitat structure of the Black-throated Green Warbler (*Dendroica virens*), 382-389
Collocalia esculenta, 425-437
Collopy, Michael W., Foraging behavior and success of Golden Eagles, 747-749
Colombia, 93-97, 733, 991-992
Colonia colonus, 625
Colorado, 886
Columba livia, 828
Colwell, Robert K., review by, 261-262
Commentaries: The capitalization of birds' names; see Atkins, Anselm; Do Darwin's finches lay small eggs?; see Scott, D. M., and C. Davison Ankney; Evidence for hybrid murre reconsidered, see Sluys, Ronald; Evidence for hybrid murre reconsidered—a comment, see Cairns, D. K.; Further notes on variation in Leach's Storm-Petrel, see Ainley, David G.; On the psychology of watching birds: the problem of observer-expectancy bias, see Balph, David F., and Martha Hatch Balph; On sightings and specimens, see Stiles, F. Gary; The relative size of Darwin's finch eggs, see Grant, P. R.; What systematic method will ornithology adopt?—a reply to Olson (1982), see Cracraft, Joel
Communal breeding of *Geospiza fortis*, 192-194; *G. scandens*, 192-194; *Melanerpes formicivorus*, 731-732
Condor, Andean, 395; California, 393-401
Connors, Peter G., Taxonomy, distribution, and evolution of golden plovers (*Pluvialis dominica* and *Pluvialis fulva*), 607-620

- Conopias parva*, 625
Contopus borealis, 362
C. sordidulus, 362
 Cooke, F., and R. Harmsen, Does sex ratio vary with egg sequence in Lesser Snow Geese?, 215-217
 Cooperative breeding (see Communal breeding)
Coracias benghalensis, 129
C. garrulus, 131
Coragyps atratus, 395, 398
 Cormorant, Guanay, 680-687, 800-808; Neotropical, 801, 805-808; Pelagic, 980-981; Red-legged, 601-808
Corvus brachyrhynchos, 478-479, 482, 667
C. corax, 16, 21-23, 478-479
 Costa Rica, 117-124, 286-299, 311-324, 733
Coturnix coturnix, 33-47
 Cowbird, Bronzed, 991-992; Brown-headed, 139-147, 355-368, 583-591, 974
 Cracraft, Joel, Commentary: What systematic method will ornithology adopt?—a reply to Olson (1982), 233-236; see Raikow, Robert J., and ———; review by, 523
Cracticus sp., 107
 Crawford, Robert L., Storrs L. Olson, and Walter Kingsley Taylor, Winter distribution of subspecies of Clapper Rails (*Rallus longirostris*) in Florida with evidence for long-distance and overland movements, 198-200
 Creeper, Brown, 362, 491-493
 Crossbill, Red, 107, 491-493, 836; White-winged, 107
 Crow, Common, 478-479, 482, 667
 Cruickshank, Allan D., The birds of Brevard County, Florida (rev.), 523-524
 Cuba, 988-991
 Cuckoo, Yellow-billed, 844
 Curry-Lindahl, Kai, Das große Buch vom Vogelzug (rev.), 265; Bird migration in Africa: movements between six continents (rev.), 1009-1010
 Custer, Thomas W., Gary L. Hensler and T. Earl Kaiser, Clutch size, reproductive success, and organochlorine contaminants in Atlantic Coast Black-crowned-Night-Herons, 699-710
 Cutright, Paul Russell, and Michael J. Brodhead, Elliott Coues: naturalist and frontier historian (rev.), 245-246
Cyanocitta stelleri, 362
Cygnus olor, 401
Cymbilaimus lineatus, 645-651
C. sanctaemariae, 645-651
Cyphorhinus phaeocephalus, 625
Cypsiurus, 735
Cyrtonyx cooki, 39-40
C. montezumae, 33-47

 Dacnis, Blue, 625
Dacnis cayana, 625
Daption capense, 801-805
 Davis, David E. (Ed.), CRC handbook of census methods for terrestrial vertebrates (rev.), 771-772
 Davis, William A., and Stephen M. Russell, Birds in southeastern Arizona (rev.), 518
Delichon urbica, 435-436
 Delnicki, Don, Mate changes by Black-bellied Whistling Ducks, 728-729
Deltarhynchus flammulatus, 100, 102
Dendragapus obscurus, 653-657
Dendrocygna autumnalis, 220, 728-729
D. viduata, 220
Dendroica chrysoparia, 829
D. coronata, 360, 362, 828
D. kirtlandii, 974-976
D. occidentalis, 361-362
D. petechia, 362
D. striata, 843
D. townsendi, 995
D. virens, 382-387
 DeSante, David F., and David G. Ainley, The avifauna of the South Farallon Islands, California (rev.), 240-242; Annual variability in the abundance of migrant landbirds of southeast Farallon Island, California, 826-852; see Pyle, Peter B., et al.
 Diamond, Jared, reviews by, 543-545, 1013-1014
 Diem, Kenneth L., review by, 547
Diomedea exulans, 395-398, 401
D. irrorata, 801-802, 805-806, 808
Diphyllodes magnificus, 1-10
 Dipper, American, 106; European, 106;
 Distribution of *Accipiter striatus*, 488-490; *A. superciliosus*, 627; *Actitis macularia*, 284; *Amazilia amabilis*, 627; *A. saucerrottei*, 627; *Ammodramus henslowii houstonensis*, 504-505; *Anas platyrhynchos*, 932-946; *Anous minutus*, 623; *Aphanotriccus capitalis*, 627; *Ara ambigua*, 623; *Aratinga finschi*, 627; *Baryphthengus martii*, 623-624; *Bombicilla cedrorum*, 491-493; *Buteo jamaicensis*, 161-167; *Cacicus uropygialis*, 625; *Callipepla squamata*, 40-41; *Caprimulgus cubanensis insulaepinorum*, 989; *Caprimulgus flavescens*, 627; *Carduelis pinus*, 491-493; *Carpodacus cassinii*, 491-493; *C. mexicanus*, 491-493; *C. purpureus*, 491-493; *Catharus guttatus*, 491-493; *Celeus loricatus*, 627; *Certhia americana*, 491-493; *Chaetura cinereiventris*, 627; *Chalybura urochrysa*, 623; *Chlorothraupis carmioli*, 627; *Chordeiles gundlachi*, 983; *C. minor*, 983; *Coccyzus americanus*, 844; *Colaptes auratus*, 491-493; *Colinus virginianus*, 40-41; *Colonia colonus*, 625; *Conopias parva*, 625; *Cymbilaimus lineatus*, 645-646; *C. sanctaemariae*, 645-646; *Cyphorhinus phaeocephalus*, 625; *Dacnis cayana*, 625; *Dendroica kirtlandii*, 974-976; *Erithacus rubecula*, 602-603; *Euphonia luteicapilla*, 627; *Falco columbarius*, 488-490; *F. femoralis*, 622-623; *F. peregrinus*, 488-490, 560-566; *F. sparverius*, 488-490; *Gampsonyx swainsonii*, 627; *Geotrygon violacea*, 627; *Glaucid aenea*, 627; *Hylocistis subulatus*, 627; *Hylopezus fulviventris*, 627; *H. perspicillatus*, 624; *Hylophylax naevioides*, 624; *Icterus chrysater*, 733-734; *I. galbula*, 885-896; *I. mesomelas*, 733-734; *Ixoreus naevius*, 491-493, 995; *Junco hyemalis*, 491-493;

- landbirds, 826-851; *Leucopternis semiplumbea*, 626; *Lophortyx californicus*, 40-41; *L. gambelii*, 40-41; *Lophortyx pileatus*, 626; *Loxia curvirostra*, 491-493; *Lurocalis semitorquatus*, 627; *Mesembrinibis cayennensis*, 625-626; *Microbates cinereiventris*, 627; *Mimodes graysoni*, 553-554; *Mimus polyglottos*, 553-554; *Molothrus armenti*, 991-992; *M. ater*, 355-368; *Muscicapa sibirica*, 212-213; *Myiozetetes granadensis*, 626; *Myrmeciza exsul*, 626; *Myrmornis torquata*, 627; *Myrmotherula axillaris*, 624; *M. fulviventris*, 624; *Neomorphus geoffroyi*, 627; *Netta erythrophthalma*, 220; *Oreortyx pictus*, 40-41; *Ortalis cinereiceps*, 623; *Oryzoborus maximiliani*, 627; *Oxyruncus cristatus*, 117; *Pachyrhamphus albogriseus*, 627; *Pandion haliaetus*, 488-490; *Parus gambeli*, 491-493; *Passerella iliaca*, 491-493; *Phaenostictus mcleannani*, 624; *Phylloscopus fuscatus*, 995; *Pitylus grossus*, 626; *Pluvialis dominica*, 607-613; *P. fulva*, 607-613; *Rallus longirostris*, 198-200; *Ramphastos swainsonii*, 624; *Regulus calendula*, 491-493; *R. satrapa*, 491-493; *Selasphorus ardens*, 319-320; *S. flammula*, 319-320; *S. scintilla*, 319-320; *S. simoni*, 319-320; *S. torridus*, 319-320; *Sitta canadensis*, 491-493; *S. carolinensis*, 491-493; *S. pygmaea*, 491-493; *Spinus cucullatus*, 738; *Sporophila schistacea*, 626-627; *Sterna caspia*, 369-379; *Tachyphonus delatrii*, 626; *Thraupis palmarum*, 627; *Thryothorus atrogularis*, 627; *T. nigricapillus*, 627; *T. thoracicus*, 627; *Tigrisoma lineatum*, 622; *Turdus migratorius*, 491-493; *Vermivora ruficapilla*, 625; *Xiphorhynchus lachrymosus*, 627; *Zenaidura graysoni*, 552-553; *Z. macroura*, 552-553; *Zonotrichia atricapilla*, 843-844; *Z. leucophrys*, 452-460
- Distribution, spatial, 18, 20-23, 121, 335-342, 452-460, 489, 572-574, 579, 653-657, 660, 680-687, 693-695, 740-741
- Diving-Petrel, Peruvian, 801-802, 805-806, 808
- Dod, Anabelle Stockton de, Aves de la Republica Dominicana (rev.), 266
- Dolnik, V. R., Population ecology of the Chaffinch (*Fringilla coelebs*) (rev.), 529-530
- Dolphin, William F., and Daniel McSweeney, Incidental ingestion of Cassin's Auklets by humpback whales, 214
- Doremus, J. H., see Steenhof, K., et al.
- Dove, Mourning, 551-558, 828, 907-919; Rock, 828; Socorro (Grayson's), 551-558, 907-919; Violaceous Quail 627
- Drawe, D. Lynn (Ed.), Proceedings of the first Welder Wildlife Foundation symposium (rev.), 264
- Dryophila devillei*, 651
- Duck, Black, 950, 997; Ruddy, 717-725; Wood, 729-730
- Duffy, David Cameron, Competition for nesting space among Peruvian guano birds, 680-688; The foraging ecology of Peruvian seabirds, 800-810
- Dugand, Armando, and Eugene Eisenmann, Rediscovery of, and new data on, *Molothrus armenti* Cabanis, 991-992
- Dumetella carolinensis*, 106, 170-178
- Dunlin, 283-284, 440, 443-444, 446-450
- Dunning, John S., South American landbirds, a photographic aid to identification (rev.), 775-777
- Dybbro, Tommy, De danske ynglefugles udbredelse (rev.), 518-520
- Eagle, African Hawk, 631-633; Bald, 477-484, 631, 633, 828; Booted, 631, 633; Crowned, 631, 633; Golden, 399, 401, 630-634, 743-746, 747-748; Greater-spotted, 631, 633; Imperial, 631, 633; Lesser-spotted, 631, 633; Tawny, 631, 633-634; Verreaux's, 631-633; Wedge-tailed, 631, 633
- Ecology of *Accipiter nisus*, 349-350; *Actitis macularia*, 272-284; *Anas platyrhynchos*, 689-696, 932-946; *Aquila chrysaetos*, 743-746; *Bombicilla cedrorum*, 491-493; *Brachyrhamphus brevirostris*, 214; *B. marmoratus*, 214; *Bubulcus ibis*, 960-968; *Calidris alpina*, 283-284; *C. temminckii*, 283-284; *Carduelis pinus*, 491-493; *Carpodacus cassinii*, 491-493; *C. mexicana*, 186, 491-493; *C. purpureus*, 491-493; *Casmerodius albus*, 960-968; *Catharus guttatus*, 491-493; *Cerorhinca monocerata*, 979-981; *Certhia americana*, 491-493; *Charadrius alexandrinus*, 13-23; *Chen caerulescens*, 335-342; *C. rossii*, 335-342; *Colaptes auratus*, 491-493; *Cymbilaimus lineatus*, 649-650; *C. sanctaemariae*, 649-650; *Daption capense*, 801, 805; *Dendragapus obscurus*, 653-657; *Dendroica kirtlandii*, 974-976; *D. virens*, 382-387; *Diomedea irrorata*, 801-802, 805-806, 808; *Egretta caerulea*, 960-968; *E. thula*, 960-968; *E. tricolor*, 960-968; *Erithacus rubecula*, 605-606; *Fratercula corniculata*, 597-599; *Fregata magnificens*, 801; *Fulmarus glacialis*, 597-599; *Haliaeetus leucocephalus*, 477-483; *Ixoreus naevius*, 491-493; *Junco hyemalis*, 491-493; *Larosterna inca*, 801-808; *Larus argentatus*, 214; *L. belcheri*, 801-808; *L. delawarensis*, 658-667; *L. dominicanus*, 801-808; *L. glaucescens*, 980-981; *L. heermanni*, 980-981; *L. modestus*, 801-808; *L. philadelphia*, 214; *L. pipixcan*, 801-808; *Loxia curvirostra*, 491-493; *Manacus manacus*, 739-742; *Mimodes graysoni*, 551-558; *Mimus polyglottos*, 498, 551-558; *Molothrus ater*, 355-368; *Oceanites gracilis*, 801, 805; *O. oceanicus*, 801-803; *Oceanodroma leucorhoa*, 597-599; *O. markhami*, 801; *Parus gambeli*, 491-493; *Passerella iliaca*, 491-493; *Pelecanoides garnoti*, 801-802, 805-806, 808; *Pelecanus occidentalis*, 680-687, 800-808; *Phaethon rubricauda*, 953-959; *Phalacrocorax bougainvillii*, 680-687, 800-808; *P. gaimardi*, 801-808; *P. olivaceus*, 801, 805-808; *P. pelagicus*, 980-981; *Phalaropus lobatus*, 214, 801, 805; *Pharomachrus mocinno*, 286-299; *Plegadis falcinellus*, 960-968; *Ploceus cucullatus*, 863-869; *Ptychoramphus aleuticus*, 214; *Puffinus griseus*, 801-808; *Regulus calendula*, 491-493; *R. satrapa*, 491-493; *Rostrhamus sociabilis*, 84-91, 93-97; *Selasphorus ardens*, 322-323; *S. flammula*, 322-323; *S. scintilla*, 322-323; *S. simoni*, 322-323; *S. torridus*, 322-323; *Sitta canadensis*, 491-493; *S. carolinensis*, 491-493; *S. pygmaea*, 491-493; *Spheniscus humboldti*, 801-802, 804-808; *Sterco-*

- rarius pomarinus*, 801-802, 805-806, 808; *Sterna caspia*, 369-379; *S. elegans*, 801-802, 805; *S. lorata*, 801, 805; *S. paradisaea*, 804, 806; *S. sandvicensis*, 801, 805; *Sula nebulosus*, 801-802, 805; *S. variegata*, 680-687, 800-808; *Synthliboramphus antiquus*, 214; *Tachycineta bicolor*, 750-753; *Turdus migratorius*, 491-493; *Tyrannus verticalis*, 496; *Ulria aalge*, 980-981; *Xema sabini*, 801-808; *Zenaida graysoni*, 551-558; *Z. macroura*, 551-558; *Zonotrichia leucophrys*, 818-819
- Ecology, breeding communities**, 335-342, 680-687; commensal feeding, 214, 477-483, 800-809, 960-968, 979-981; community structure, 335-342, 551-558, 680-687; competition, 341-342, 551-558, 601, 680-687, 695, 941; demography, 17-18, 272-284, 335-342, 818-819; dispersal, 374-376, 378-379, 850, 866-869; habitat partitioning, 556-557, 680-687; habitat selection, 89-90, 291, 299, 335-342, 357-358, 369-379, 382-387, 498, 552-554, 556-558, 649-650, 660, 663-664, 680-687, 750-753, 866-869, 932-946, 953-959, 960-968; migration, 826-851, 974-976; population structure, 17-18, 20, 186, 272-284, 335-342, 349-350, 360-361, 369-379, 602-606, 653-657, 658-667, 739-742, 818-819, 932-946, 974-976; predator-prey relationships, 18, 20-23, 84-91, 93-97, 195-197, 214, 273-279, 282-283, 480, 486, 496, 498, 555-558, 744-745, 751, 805, 971-973, 979-981; seasonal variation, 358-368, 372, 374-375, 605, 689-696, 866-869, 932-946; sex ratio, 273-277, 282-283; territoriality, 272-273, 277, 341, 653-657, 680-687, 739-742, 745-746
- Ectoparasitism** (see Diseases and parasites)
- Ecuador**, 733
- Edwards, Ernest P.**, A coded workbook of birds of the world, Vol. 1: non-passerines, second ed. (rev.), 1015-1016
- Edwards, Thomas C., Jr.**, and **Michael W. Collopy**, Obligate and facultative brood reduction in eagles: an examination of factors that influence fratricide, 630-635; see Stacey, Peter B., and
- Eggs** (descriptions and measurements) of *Aimophila stolzmanni*, 228; *Aquila audax*, 633; *A. chrysaetos*, 633; *A. clanga*, 633; *A. heliaca*, 633; *A. pomarina*, 633; *A. rapax*, 633; *A. verreauxi*, 633; *Bubulcus ibis*, 76-82; *Camarhynchus parvulus*, 229; *Casmerodius albus*, 76-82; *Certhidea olivacea*, 226-227, 229; *Chen caerulescens*, 215-217; *Chordeiles acutipennis*, 984; *C. gundlachi*, 983-984; *C. minor*, 983-984; *Egretta thula*, 76-82; *E. tricolor*, 76-82; *Eudocimus albus*, 76-82; *Geospiza conirostris*, 226-227; *G. difficilis*, 226, 229; *G. fuliginosa*, 229; *G. magnirostris*, 226-228; *Haliaeetus leucocephalus*, 633; *Hieraaetus fasciatus*, 633; *H. pennatus*, 633; *Larus atricilla*, 76-82; *L. delawarensis*, 660-661, 726-727; *Nycticorax nycticorax*, 76-82; *Pharomachrus mocinno*, 295; *Piezorhina cinerea*, 228; *Pipilo erythrophthalmus*, 226-227; *Platyspiza crassirostris*, 228; *Plegadis falcinellus*, 76-82; *Poospiza hispaniolensis*, 228; *Rissa tridactyla*, 471-472; *Sicalis flaveola*, 228; *Spizella passerina*, 226-227; *S. pusilla*, 226-227; *Sporophila peruviana*, 228; *Stephanoaetus coronatus*, 633; *Sterna maxima*, 76-82; *S. sandvicensis*, 76-82; *Sturnus vulgaris*, 926-930; *Volatinia jacarina*, 228; *Zonotrichia albicollis*, 226-227
- Eggs, density, specific gravity, and volume**, 633, 660; effect of environment on, 228-229; effect of predation on, 228-229; fertility, 661, 666; laying, 49-51, 344-353, 365, 583-591, 660, 926-930; physiology, 76-82; sequence, 726-727; sex ratio, 215-217, 726-727; temperature, 79-80, 998-1000; water loss from, 78-82
- Egret, Cattle**, 76-82, 960-968; **Great**, 76-82; 195-197, 960-968; **Snowy**, 76-82, 195-197, 960-968
- Egretta caerulea*, 960-968
- E. thula*, 76-82, 195-197, 960-968
- E. tricolor*, 76-82, 960-968
- Eisenmann, Eugene**, Memorial of, 188-191; see Stevenson, Henry M., et al.
- Elepaio**, 106
- Elgood, J. H.**, The birds of Nigeria (rev.), 517-518
- Ellis, David H.**, Development of behavior in the Golden Eagle (rev.), 254-255; and **Cesar Peres Garat**, The Pallid Falcon *Falco kreyenborgi* is a color phase of the Austral Peregrine Falcon (*Falco peregrinus cassini*), 269-271
- Elston, Sue F.**, and **William E. Southern**, Effects of intraspecific piracy on breeding Ring-billed Gulls, 217-220
- Empidonax euleri*, 651
- E. flaviventris*, 828
- E. hammondi*, 362
- E. oberholseri*, 362
- E. traillii*, 362
- von Ende, Carl N.**, review by, 514-515
- England**, 898-905
- Environment, influence on** *Accipiter nisus*, 351; *Anas platyrhynchos*, 689-696, 932-946; *Aquila chrysaetos*, 744-746; *Argentavis magnificens*, 390-391; *Aythya americana*, 721-724; *Buteo jamaicensis*, 166; *Erethacus rubecula*, 605; *Geospiza fortis*, 192-194; *G. scandens*, 192-194; *Haliaeetus leucocephalus*, 479-481; *Icterus galbula*, 893; *Mimus polyglottos*, 551-558; *Nycticorax nycticorax*, 699-708; *Oxyura jamaicensis*, 721-724; *Pelecanus occidentalis*, 682, 687; *Phalacrocorax bougainvillii*, 682, 687; *Rissa tridactyla*, 471, 475; *Rostrhamus sociabilis*, 86-90; *Selasphorus flammula*, 322; *S. simoni*, 322; *S. torridus*, 322; *Sula variegata*, 682, 687; *Tyrannus tyrannus*, 326-332; *T. verticalis*, 496; *Zenaida macroura*, 551-558; *Zonotrichia leucophrys*, 56-61, 578-579, 814-816, 820
- Environment, influence on breeding**, 56-61; breeding success, 56-61; hormones, 56-61; migration, 844-846, 848-850; physiology, 56-61
- Ephippiorhynchus senegalensis*, 400
- Epimachus albertii*, 1-10

- Eurhynchus ruber*, 106, 601-606
Erwin, R. Michael, Feeding habits of nesting wading birds: spatial use and social influences, 960-970
Eudocimus albus, 76-82
Euphagus carolinus, 141
E. cyanocephalus, 360, 363
Euphonia luteicapilla, 627
Euphonia, Yellow-crowned, 627
Euryornychus pygmeus, 448-449
Evolution of *Alectoris chukar*, 38-42; *Buteo jamaicensis*, 166-167; *Callipepla squamata*, 38-42; *Carpodacus mexicanus*, 185-186; *Colinus virginianus*, 38-42; *Coturnix coturnix*, 38-42; *Cyrtornyx cooki*, 39-40; *C. montezumae*, 38-42; *Hirundo pyrrochota*, 798-799; *Icterus galbula*, 894-895; *Lophortyx californicus*, 38-42; *L. gambelii*, 38-42; *L. shotwelli*, 39-42; *Oreortyx pictus*, 38-42; *Pharomachus mocino*, 298-299; *Phasianus colchicus*, 38-42; *Pluvialis dominica*, 617-619; *P. fulva*, 617-619; *Selasphorus ardens*, 323; *S. flammula*, 323; *S. scintilla*, 323; *S. simoni*, 323; *S. torridus*, 323; *Sphyrapicus nuchalis*, 878-881; *S. ruber*, 878-881; *S. thyroideus*, 878-881; *S. varius*, 878-881; *Tympanuchus pallidicinctus*, 38-42
Evolution, clutch size, 634; color polymorphism, 971-973; individual recognition, 798-799; polygamy, 1-2, 8-10; vocalizations, 798-799
Ewan, Joseph and Nesta Dunn, A biographical dictionary of Rocky Mountain naturalists (rev.), 267
Falco columbarius, 488-490
F. femoralis, 622-623
F. kreyenborgi, 269-271
F. peregrinus, 269-271, 488-490, 560-566, 830
F. sparverius, 488-490
Falcon, Aplomado, 622-623; Pallid, 269-271; Peregrine, 269-271, 488-490, 560-566, 830
Farber, Paul Lawrence, The emergence of ornithology as a scientific discipline: 1760-1850 (rev.), 764-766
Farner, Donald S., see Wingfield, John C., et al.; James R. King, and Kenneth C. Parkes (Eds.), Avian biology, vol. 6 (rev.), 509-511; review by, 507-509
Feathers (see Molts and Plumages)
Finch, Cactus, 192-194; Cassin's, 363, 491-493; Great-billed Seed, 627; House, 180-186, 491-493, 828; Purple, 363, 491-493
Finch, R., Common ground, a naturalist's Cape Cod (rev.), 516
Fitzpatrick, John W., see Lanyon, Wesley E., and ———; see Pierpont, Nina, and ———
Flamingo, Chilean, 997; Greater, 997
Fledging success (see Breeding success)
Flegg, Jim, Bird of the week (rev.), 267
Flicker, Common, 828; Northern, 491-493
Florida, 170-178, 198-200, 983-987, 997-998
Flycatcher, Dusky, 362; Gray-capped, 106, 626; Hammond's, 362; Olive-sided, 362; Paradise, 106; Siberian, 212-213; Social, 625; Tawny-chested, 627; White-ringed, 625; Willow, 362; Yellow-bellied, 828
Food and feeding habits of *Accipiter nisus*, 344-353; *Agelaius phoeniceus*, 461-467; *Anas acuta*, 950; *A. americana*, 949-950; *A. clypeata*, 950; *A. crecca*, 950; *A. platyrhynchos*, 694-695, 950; *A. rubripes*, 950; *A. strepera*, 947-951; *Aquila chrysaetos*, 747-748; *Ara ambigua*, 623; *Ardea herodias*, 478; *Argentavis magnificens*, 390-391; *Aulacorhynchus prasinus*, 289; *Aythya affinis*, 950; *A. americana*, 950; *A. valisineria*, 950; *Brachyramphus brevirostris*, 214; *B. marmoratus*, 214; *Branta canadensis*, 673, 676; *Bubulcus ibis*, 960-968; *Buteo jamaicensis*, 478; *Butorides striatus*, 195-197; *Cacicus uropygialis*, 625; *Casmerodops albus*, 195-197, 960-968; *Cathartix gracilis*, 390-391; *Cerorhinca monocerata*, 979-981; *Corvus brachyrhynchus*, 478-479, 482; *C. corax*, 478-479; *Cymbilaimus lineatus*, 649-650; *C. sanctaemariae*, 649-650; *Dacnis cayana*, 625; *Daption capense*, 801-805; *Diomedea irrorata*, 801-802, 805-806, 808; *Diphyllodes magnificus*, 1-10; *Egretta caerulea*, 960-968; *E. thula*, 195-197, 960-968; *E. tricolor*, 960-968; *Epimachus albertsii*, 1-10; *Falco peregrinus*, 565-566; *Fregata magnificens*, 801; *Haliaeetus leucocephalus*, 477-483; *Larosterna inca*, 801-808; *Larus argentatus*, 214; *L. atricilla*, 636-643; *L. belcheri*, 801-808; *L. delawarensis*, 217-220; *L. dominicanus*, 801-808; *L. glaucescens*, 478, 980-981; *L. heermanni*, 980-981; *L. marinus*, 65-66, 72-74; *L. modestus*, 801-808; *L. philadelphia*, 214; *L. pipixcan*, 801-808; *Lophoria superba*, 1-10; *Manucodia chalybat*, 1-10; *M. keradunrenii*, 1-10; *Mesembrinibis cayennensis*, 625-626; *Microphaps quixensis*, 922-924; *Mimus polyglottos*, 155-156; *Molothrus ater*, 364-367; *Myrmotherula axillaris*, 624; *M. fulviventris*, 624; *Oceanites gracilis*, 801, 805; *O. oceanicus*, 801-803; *Oceanodroma markhami*, 801; *Orthotis cinereipes*, 623; *Oxyruncus cristatus*, 118-119, 123-124; *Paradisaea raggiana*, 1-10; *P. rudolfi*, 1-10; *Parotia lawesii*, 1-10; *Pelecanoides garnoti*, 801-802, 805-806, 808; *Pelecanus occidentalis*, 636-643, 800-808; *Phalacrocorax bougainvillii*, 800-808; *P. gaimardi*, 801-808; *P. olivaceus*, 801, 805-808; *P. pelagicus*, 980-981; *Phalaropus lobatus*, 214, 801, 805; *Pharomachus mocino*, 286-299; *Pitylus grossus*, 626; *Plegadis falcinellus*, 960-968; *Ploceus cucullatus*, 866-869; *Procnias tricarunculata*, 289; *Ptiloris magnificus*, 1-10; *Ptychoramphus aleuticus*, 214; *Puffinus griseus*, 801-808; *Rissa tridactyla*, 469-475; *Rostrhamus sociabilis*, 84-91, 93-97; *Scolopax minor*, 711-716; *Syrstes sibilator*, 98-99; *Spheniscus humboldti*, 801-802, 804-808; *Sporophila schistacea*, 626-627; *Stercorarius pomarinus*, 801-802, 805-806, 808; *Sterna elegans*, 801-802; *S. lorata*, 801, 805; *S. paradisaea*, 804, 806; *S. sandwicensis*, 801, 805; *Sula nebouxi*, 801-802, 805; *S. variegata*, 800-808; *Synthliboramphus antiquus*, 214; *Tachyphonus delatarii*, 626; *Teratornis incredibilis*, 390-391; *T. merriami*, 390-391; *Tyrannus tyrannus*

- mus*, 331; *T. verticalis*, 496; *Uria aalge*, 980-981; *Xema sabini*, 801-808
 Foraging (see Food and feeding habits; Behavior, feeding)
 Fossils of *Argentavis magnificens*, 390-402; *Teratornis merriami*, 390-402
Fratercula corniculata, 593-599
Fregata magnificens, 801
 Friedmann, Herbert, 991
 Frigatebird, Magnificent, 801
Fringilla coelebs, 493-495
 Frisch, Johan Dalgas, *Aves Brasileiras* (rev.), 1021
 Fuller, R. J., *Bird Habitats in Britain* (rev.), 766-767
 Fulmar, Northern, 593-599
Fulmarus glacialis, 593-599

 Gadwall, 719, 947-951
 Galapagos Islands, 192-194
Galbula dea, 135
G. ruficauda, 127
 Gale, Barry G., *Evolution without evidence. Charles Darwin and The Origin of Species* (rev.), 779-780
Gallus gallus, 583
Gampsonyx swainsonii, 627
 Gardner, Kenneth A., *Birds of Oak Hammock Marsh Wildlife Management Area* (rev.), 263
 Garrido, Orlando H., *A new subspecies of Caprimulgus cubanensis* (Aves: Caprimulgidae) from the Isle of Pines, Cuba, 988-991
 Gaston, A. J., review by, 547
 Gauch, Hugh G., Jr., *Multivariate analysis of community ecology* (rev.), 769-770
 Gaunt, Abbot S., *An hypothesis concerning the relationship of syrinxal structure to vocal abilities*, 853-862
 Gauthreaux, Sidney A., Jr., reviews by, 242-245
 Gehlbach, Frederick R., *Mountain islands and desert seas—a natural history of the U.S.-Mexican borderlands* (rev.), 525-528
 Genetic variation (see Genetics, genetic variation)
 Genetics of *Alectoris chukar*, 33-47; *Callipepla squamata*, 33-47; *Carpodacus mexicanus*, 180-186; *Chordeiles gundlachi*, 986-987; *C. minor*, 986-987; *Colinus virginianus*, 33-47; *Coturnix coturnix*, 33-47; *Cyrtonyx montezumae*, 33-47; *Erithacus rubecula*, 601-606; *Falco kreyenborgi*, 270; *F. peregrinus*, 270; hybrid of *Sphyrapicus nuchalis* × *S. ruber*, 874, 877-878; *Lophortyx californicus*, 33-47; *L. gambelii*, 33-47; *Oreortyx pictus*, 33-47; *Phasianus colchicus*, 33-47; *Sphyrapicus nuchalis*, 871-884; *S. ruber*, 871-884; *S. thyroideus*, 871-884; *S. varius*, 871-884; *Tympanuchus pallidicinctus*, 33-47
 Genetics, gene flow, 166-167, 180, 186, 323, 452-453, 458, 577-578, 894-895; genetic variation, 873-874; migratory behavior, 601-606
 Geographic variation in *Carpodacus mexicanus*, 180-186; *Dendroica virens*, 382-387; *Falco peregrinus*, 560-566; *Icterus galbula*, 885-896; *Manacus manacus*, 739-742; *Mimus polyglottos*, 158-159; *Nycticorax nycticorax*, 701-706; *Oceanodroma leucorhoa*, 230-232; *Selasphorus flammula*, 322; *S. simoni*, 322; *S. torridus*, 322; *Sphyrapicus nuchalis*, 874-876; *S. ruber*, 874-876; *S. thyroideus*, 874-876; *S. varius*, 874-876; *Zonotrichia leucophrys*, 452-460, 568-581, 812-824
 Geographic variation in anatomy, 180-186, 885-896; breeding season, 701-702; breeding success, 813-824; chemical composition of feathers, 560-566; clutch size, 701-706, 812-815; habitat structure, 382-387; molts and plumages, 885-896; mortality and survival, 817, 823-824; vocalizations, 452-460, 568-581
Geospiza conirostris, 226, 228
G. difficilis, 226, 229
G. fortis, 192-194
G. fuliginosa, 229
G. magnirostris, 226, 228
G. scandens, 192-194
Geothlypis trichas, 828
Geotrygon violacea, 627
 Germany, 601-606
 Gérodet, Paul, *Limicoles, Gangas et Pigeons d'Europe* (rev.), 795
 Gerrard, Edward C., *Instinctive navigation of birds* (rev.), 244-245
 Gibson, Dan, *Solititudes. Environmental sound experiences* (rev.), 549
 Gill, Frank B., review by, 538
 Gill, Robert E., Jr., and L. Richard Mewaldt, *Pacific Coast Caspian Terns: dynamics of an expanding population*, 369-381
Glaucis aenea, 627
 Glutz von Blotzheim, Urs, and Kurt M. Bauer, *Handbuch der Vögel Mitteleuropas. Volume 8, Parts I and II. Charadriiformes (Part 3)* (rev.), 795
 Gnatwren, Tawny-faced, 627
 Golden Plover, Lesser, 607-619
 Goldfinch, American, 107, 828; Lawrence's, 107; Lesser, 363, 828
 Gooders, John (Ed.), *Collins British birds* (rev.), 772-775
 Goodwin, Clive E., *A bird-finding guide to Ontario* (rev.), 1019-1020
 Goodwin, Derek, *Estrildid finches of the world* (rev.), 782-783
 Goose, Canada, 401, 670-678; Lesser Snow, 215-217, 335-342; Ross', 335-342
 Grackle, Common, 107, 278
 Gradwohl, Judy, see Greenberg, Russell, and ———
Grallina cyanoleuca, 107
 Grant, Gilbert S., *Avian incubation: egg temperature, nest humidity, and behavioral thermoregulation in a hot environment* (rev.), 777-779
 Grant, Peter, *Commentary: The relative size of Darwin's finch eggs*, 228-230; see Price, Trevor, et al.; Gulls. *A guide to identification* (rev.), 536-537
 Grassquit, Cuban, 106

- Grebe, Pied-billed, 220
- Greenberg, Russell, and Judy Gradwohl, Sexual roles in the Dot-winged Antwren (*Microhousia quixensis*), a tropical passerine, 920-925
- Greenfinch, 107
- Greenland, 560-566
- Greenshank, 106
- Grosbeak, Black-headed, 105-115, 363; Evening, 836; Rose-breasted, 107; Slate-colored, 626
- Ground-Cuckoo, Rufous-vented, 627
- Ground-Finch, Medium, 192-194
- Grouse, Blue, 653-657
- Grover, Jill J., and Bori L. Olla, The role of the Rhinoceros Auklet (*Cerorhinca monocerata*) in mixed-species feeding assemblages of seabirds in the Strait of Juan de Fuca, Washington, 979-982
- Growth and development of *Aquila chrysaetos*, 630-634; *Collocalia esculenta*, 425-437; *Hirundo tahitica*, 425-437; *Larus delawarensis*, 661-665, 667; *Merops viridis*, 425-437; *Notiochelidon cyanoleuca*, 203-205; *Rissa tridactyla*, 471-474; *Tachycineta bicolor*, 751-752; *Tyrannus tyrannus*, 326-332
- Grubb, Thomas G., Jr., review by, 1017-1018
- Grumstrup-Scott, Judith, see Scott, Thomas W., and ———
- Guatemala, 375-376
- Gull, Band-tailed, 801-808; Bonaparte's, 214; California, 16, 21-23; Franklin's, 801-808; Glaucous-winged, 478, 979-981; Great Black-backed, 63-74; Grey, 801-808; Heermann's, 980-981; Herring, 214, 997; Kelp, 801-808; Laughing, 76-82, 636-643; Ring-billed, 210-212, 217-220, 658-667, 726-727, 997; Sabine's, 801-808
- Gutiérrez, R. J., Robert M. Zink, and Suh Y. Yang, Genic variation, systematic, and biogeographic relationships of some galliform birds, 33-47
- Guyana, 84-91
- Gymnogyps californianus*, 393-401
- Gymnophis leucaspis*, 624
- Gymnorhina tibicen*, 107
- Gymnostinops montezuma*, 625
- Gyps fulvus*, 401
- Habitat of *Accipiter nisus*, 345; *Actitis macularia*, 273; *Anas platyrhynchos*, 689-696; *Anous minutus*, 623; *Ara ambigua*, 623; *Baryphthengus martii*, 623-624; *Buteo jamaicensis*, 162; *Cacicus uropygialis*, 625; *Chalybura urochrysa*, 623; *Charadrius alexandrinus*, 14; *Chen caerulescens*, 335-342; *C. rossii*, 335-342; *Colonia colinus*, 625; *Conopias parva*, 625; *Cymbilaimus lineatus*, 645-646, 649-650; *C. sanctaemariae*, 645-646, 649-650; *Cyphorhinus phaeocephalus*, 625; *Dacnis cayana*, 625; *Dendragapus obscurus*, 653; *Dendroica virens*, 382-387; *Diphyllodes magnificus*, 2; *Epimachus albertii*, 2; *Falco femoralis*, 622-623; hybrid of *Icterus chrysater* × *I. mesomelas*, 734; *Hylopezus perspicillatus*, 624; *Hylophylax naevioides*, 624; *Icterus chrysater*, 734; *I. mesomelas*, 734; *Leucopternis semiplumbea*, 626; *Lophorina superba*, 2; *Lophotriccus pileatus*, 626; *Manacus manacus*, 740; *Manicodica chalybatus*, 2; *M. keraudrenii*, 2; *Mesembrinibis cayennensis*, 625-626; *Mimus polyglottos*, 497-499; *Molothrus ater*, 366-367; *Myiozetetes gramineus*, 626; *Myrmeciza exsul*, 626; *Myrmotherula axillaris*, 624; *M. fulviventris*, 624; *Netta erythrophthalma*, 220; *Ortalis cinereiceps*, 623; *Oxyruncus cristatus*, 117-118, 120; *Paradisaea raggiana*, 2; *P. rudolphi*, 2; *Parotia lawesii*, 2; *Pelecanus occidentalis*, 680-687; *Phaenostictus mcleannani*, 624; *Phalacrocorax bougainvillii*, 680-687; *Pharomachrus mocinno*, 287; *Ptilopus grossus*, 626; *Ploceus cucullatus*, 863-864; *Ptiloris magnificus*, 2; *Ramphastos swainsonii*, 624; *Spinus cucullatus*, 738; *Sporophila schistacea*, 626-627; *Sula variegata*, 680-687; *Tachyphonus delatrii*, 626; *Vermivora ruficapilla*, 625; *Zonotrichia leucophrys*, 578-579, 812, 819
- Hailman, Jack P., review by, 250-252
- Hails, Christopher J., see Bryant, David M., and ———
- Haliaeetus leucocephalus*, 477-483, 631, 633, 828
- Halkin, Sylvia L., Resting birds tuck bills toward outside of group, 997-998
- Hall, Martin A., see Scolaro, José A., et al.
- Hamerstrom, Frances, review by, 253-254
- Haramis, G. Michael, W. George Alliston, and Milo E. Richmond, Dump nesting in the Wood Duck traced by tetracycline, 729-730
- Hardy, J. W., reviews by, 548-549
- Harmen, R., see Cooke, F., and ———
- Harrier, Northern, 279
- Harris, James T., The Peregrine Falcon in Greenland (rev.), 549
- Harrison, Colin, An atlas of the birds of the Western Palaearctic (rev.), 528-529
- Hatch, Scott A., Mechanism and ecological significance of sperm storage in the Northern Fulmar with reference to its occurrence in other birds, 593-600
- Hatching success (see Breeding success)
- Hatching, timing of, 630-634
- Hawaii, 977-978
- Hawk, Harlan's, 161-167; Red-tailed, 161-167, 478, 554-555; Semiplumbeous, 626; Sharp-shinned, 488-490; Tiny, 627
- Heady, H. F., and E. B. Heady, Range and wildlife management in the Tropics (rev.), 795
- Hemirhamphus flammulatus*, 651
- Henderson, Robert P., see Pyle, Peter B., et al.
- Hensler, Gary L., see Custer, Thomas W., et al.
- Hermit, Bronzy, 627
- Heron, Great Blue, 478; Green-backed, 195-197; Little Blue, 960-968; Rufescent Tiger, 622; Tricolored, 76-82, 960-968
- Hieraetus fasciatus*, 631-633
- H. pennatus*, 631, 633
- Hildebrand, Milton, Analysis of vertebrate structure (rev.), 523
- Himantopus mexicanus*, 997

- Himatione sanguinea*, 977-978
Hines, James E., see Nichols, James D., et al.
Hirundo pyrrhonota, 205, 795-799
H. rustica, 205, 362, 435, 998-1000
H. tahitica, 425-437
Hoffman, Wayne, reviews by, 255-257, 536-537, 768-769
Home range (see Territory)
Honduras, 621-628
Hooper, James P., review by, 522-523
Hummingbird, Black-chinned, 828; Blue-chested, 627; Steely-vented, 627
Humphrey, Philip S., see Livezey, Bradley C., and —
Hunt, George L., Jr., see Braun, Barbara M., and —
Hybridization of *Icterus chrysater* × *I. mesomelas*, 733-735; *I. galbula*, 885-896; *Pluvialis dominica* × *P. fulva*, 613-615; *Selasphorus flammula* × *S. scintilla*, 321, 324; *Sphyrapicus nuchalis* × *S. ruber*, 874, 877-878, 880-881; *Uria aalge* × *U. lomvia*, 236-238; *Zenaidura macroura* × *Z. macroura*, 917
Hylocistis subulatus, 627
Hylopezus fulviventer, 627
H. perspicillatus, 624
Hylophylax naevius, 624
Hypnelus bicinctus, 128
Ibis, Glossy, 76-82, 960-968; Green, 625-626; White, 76-82
Icterus chrysater, 733-735
I. galbula, 828, 885-896
I. mesomelas, 733-735
I. parisorum, 828
Idaho, 369-379, 630-634, 743-746, 747-748
Illinois, 932-946
Immelmann, Klaus, Introduction to ethology (rev.), 252-253; *Worterbuch der Verhaltensforschung* (rev.), 789-790
Incubation and incubation period of *Accipiter nisus*, 348-351; *Branta canadensis*, 670-678; *Bubulcus ibis*, 78, 80-82; *Caprimulgus cubanensis insulaepinorum*, 990; *Casmerodius albus*, 78, 80-82; *Charadrius alexandrinus*, 15-16; *Egretta thula*, 78, 80-82; *E. tricolor*, 78, 80-82; *Eudocimus albus*, 78, 80-82; *Hirundo rustica*, 998-1000; *Larus atricilla*, 78, 80-82; *Larus marinus*, 64-66, 71, 73; *Microrhopias quinquensis*, 921; *Mimus polyglottos*, 154-159; *Nycticorax nycticorax*, 73, 80-82; *Pharomachrus mocinno*, 294-295; *Plegadis falcinellus*, 78, 80-82; *Rostratula benghalensis*, 49-54; *Sterna maxima*, 78, 80-82; *S. sandvicensis*, 78, 80-82; *Sturnus vulgaris*, 926-930
Iowa, 932-946
Islands, biogeography, 180-186, 192-194, 551-558, 739-742, 918, 920-925, 989-991; colonization, 551-558;
Ixoreus naevius, 491-493, 995
Jackson, James F., see Joern, William T., and —
Jaeger, Parasitic, 971-973; Pomarine, 801-802, 805-806, 808
James, Frances C., review by, 766-767
Jamieson, Ian G., and Fred C. Zwickel, Spatial patterns of yearling male Blue Grouse and their relation to recruitment into the breeding population, 653-657
Janes-Butler, Saskia, see Butler, Ronald G., and —
Janovy, John, Jr., Yellowlegs (rev.), 516-517
Japan, 48-54, 608
Jay, Steller's, 362
Jehl, J. R., Jr., review by, 262-263; and Kenneth C. Parkes, "Replacements" of land bird species on Socorro Island, Mexico, 551-559
Joern, William T., and James F. Jackson, Homogeneity of vegetational cover around the nest and avoidance of nest predation in Mockingbirds, 497-499
Johnsgard, Paul A., Birds of the Great Plains—breeding species and their distribution (rev.), 259-261; Teton wildlife. Observations by a naturalist (rev.), 547
Johnson, Ned K., reviews by, 240-242, 783-785; and Robert M. Zink, Speciation in sapsuckers (*Sphyrapicus*): I. Genetic differentiation, 871-884
Jollie, Malcolm, reviews by, 254-255, 779-780
Jorde, Dennis G., see Krapu, Gary L., et al.
Joyner, David E., Parasitic egg laying in Redheads and Ruddy Ducks in Utah: incidence and success, 717-725
Junco hyemalis, 186, 363, 367, 491-493, 828
Junco, Dark-eyed, 186, 363, 367, 491-493, 828
Jussi, Fred, Voices of Matsalu (rev.), 548
Kaiser, T. Earl, see Custer, Thomas W., et al.
Kale, Herbert W., II, see Snyder, Noel F. R., and —; Editor of Recent Literature, 1A-35A, 1B-27B, 1C-24C, 1D-22D
Kandianidis, Paraskevas, see Baptista, Luis F., et al.
Kansas, 885-896, 932-946
Karlin, Alvan, see Stevenson, Henry M., et al.
Karr, James R., reviews by, 795, 1014-1015
Keith, Stuart, (Chief Ed.), A.B.A. checklist (rev.), 768-769; review by, 520-521
Kendeigh, S. Charles, Bird populations in east central Illinois: fluctuations, variations, and development over a half century (rev.), 770-771; Invertebrate populations of the deciduous forest: fluctuations and relations to weather (rev.), 770-771
Kentucky, 932-946
Kerlinger, Paul, Jeffrey D. Cherry, and Kevin D. Powers, Records of migrant hawks from the North Atlantic Ocean, 488-490
Kestrel, American, 488-490
Kilham, Lawrence, review by, 511-514
Kingbird, Eastern 326-332; Ruby-crowned, 995; Western, 496

- Kinglet, Golden-crowned, 361-362, 491-498; Ruby-crowned, 491-493; 995
- Kite, Hook-billed, 749-750; Pearl, 627; Snail, 84-91, 93-97
- Kittiwake, Black-legged, 469-475
- Kleptoparasitism, 217-220, 636-643, 808
- Klett, Albert T., see Krapu, Gary L., et al.
- Knight, Susan K., and Richard L. Knight, Aspects of food finding by wintering Bald Eagles, 477-484
- Knight, Richard L., see Kright, Susan K., and
- Knot, Red, 448
- Kochert, M. N., see Steenhof, K., et al.
- Komeda, Shigemoto, Nest attendance of parent birds in the Painted Snipe (*Rostratula benghalensis*), 48-55
- Korea, 608
- Kovacs, Kit M., and John P. Ryder, Reproductive performance of female-female pairs and polygynous trios of Ring-billed Gulls, 658-669
- Krapu, Gary L., reviews by, 246-248, 535-536; Albert T. Klett, and Dennis G. Jorde, The effect of variable spring water conditions on Mallard reproduction, 689-698
- Krebs, J. R., and N. B. Davies, An introduction to behavioural ecology (rev.), 785-787; see McGregor, Peter K., et al.
- Kroodsmas, Donald E., review by, 785-787; and David A. Spector, review by, 792
- Lagrenade, Marie-Christine and Pierre Mousseau, Female-female pairs and polygynous associations in a Quebec Ring-billed Gull colony, 210-212
- Lanius ludovicianus*, 106
- Lank, David B., see Oring, Lewis W., et al.
- Lanyon, Wesley E., and John W. Fitzpatrick, Behavior, morphology, and systematics of *Sirystes sibilator* (Tyrannidae), 98-104
- Lark, Magpie, 106
- Larkin, Ronald P., review by, 545-546
- Larosterna inca*, 801-808
- Larus argentatus*, 214, 997
- L. atricilla*, 76-82, 636-643
- L. belcheri*, 801-808
- L. californicus*, 16, 21-23
- L. delawarensis*, 210-212, 217-220, 658-667, 726-727, 997
- L. dominicanus*, 801-808
- L. glaucescens*, 478, 979-981
- L. heermanni*, 980-981
- L. marinus*, 63-74
- L. modestus*, 801-808
- L. philadelphia*, 214
- L. pipixcan*, 801-808
- Laughlin, Sarah B. (Ed.), Proceedings of the north-eastern breeding bird atlas conference (rev.), 547-548
- Leaf-gleaner, Striped, 627
- Leahy, Christopher, The birdwatcher's companion: an encyclopedic handbook of North American birdlife (rev.), 1012-1013
- Leptoptilos crumeniferus*, 401
- Leucopternis semiplumbea*, 626
- Limicola falcinellus*, 448-449
- Linz, George M., Susan B. Bolin, and J. Frank Cassel, Postnuptial and postjuvenile molts of Red-winged Blackbirds in Cass County, North Dakota, 206-209
- Livezey, Bradley C., and Philip S. Humphrey, Mechanics of steaming in steamer-ducks, 485-488
- Lockley, Ronald M., Flight of the storm petrel (rev.), 1017-1018
- Logan, Cheryl A., Reproductively dependent song cyclicity in mated male Mockingbirds (*Mimus polyglottos*), 403-413
- Lohrer, Fred E., review by, 523-524
- Longevity (see Mortality and Survival)
- Looft, Volker, and Günther Busche (Eds.), Vogelwelt Schleswig-Holsteins. Band 2: Greifvogel (rev.), 530-531
- Lophorina superba*, 1-10
- Lophortyx californicus*, 33-47
- L. gambelii*, 33-47
- L. shotwelli*, 39-40
- Lophortyx californicus*, 651
- L. pileatus*, 626
- Lorenz, Konrad Z., The foundations of ethology (rev.), 252-253
- Louisiana, 497-499, 932-946, 947-951
- Loxia curvirostra*, 107, 491-493, 836
- L. leucoptera*, 107
- Ludwig, Daniel R., review by, 265
- Lurocalis semitorquatus*, 627
- Macaw, Great Green, 623
- Mackworth-Praed, C. W., and C. H. B. Grant, African handbook of birds (rev.), 263
- Maclean, Gordon L., review by, 517-518
- Magpie, Black-backed, 107
- Maine, 63-74, 382-387
- Malacoptila panamensis*, 129, 132
- Malaysia, 425-437
- Mallard, 302-309, 689-696, 719-721, 932-946, 950, 997
- Malurus cyaneus*, 106
- Manacus manacus*, 739-742
- Manakin, White-bearded, 739-742
- Manitoba, 215-217, 440-450
- Manucode, Crinkle-collared, 1-10; Trumpet, 1-10
- Manucodia chalybatus*, 1-10
- M. keraudrenii*, 1-10
- Marcus, Mickey J., Additions to the avifauna of Honduras, 621-629
- Marler, Peter, and J. G. Vandenberg (Eds.), Handbook of behavioral neurobiology, volume 3: social behavior and communication (rev.), 250-252
- Marquiss, M., see Newton, I., et al.
- Marsh, Richard L., Adaptations of the Gray Catbird

- Dumetella carolinensis* to long distance migration: energy stores and substrate concentrations in plasma, 170-179
- Marti, Carl D., review by, 535-536
- Martin, House, 435-436
- Mason, J. Russell, and Russell F. Reidinger, Jr., Generalization of and effects of pre-exposure on color-avoidance learning by Red-winged Blackbirds (*Agelaius phoeniceus*), 461-468
- Massachusetts, 699-708, 1001-1002
- Mathews, G. V. T., and M. Smart (Eds.), Proceedings of the Second International Swan Symposium, Sapporo, Japan, 21-22 February 1980 (rev.), 1021
- Mating systems of *Actitis macularia*, 272-284; *Cymbilaimus lineatus*, 650; *C. sanctaemariae*, 650; *Dendragapus obscurus*, 653-657; *Dendrocygna autumnalis*, 728-729; *Diphyllodes magnificus*, 1-2, 8-10; *Epimachus albertisii*, 1-2, 8-10; *Larus delawarensis*, 210-212; *Lophorina superba*, 1-2, 8-10; *Manacus manacus*, 739-742; *Manucodia chalybatus*, 1-2, 8-10; *M. keraudrenii*, 1-2, 8-10; *Melanerpes formicivorus*, 731-732; *Mimus polyglottos*, 158; *Oxyruncus cristatus*, 123; *Paradisaea minor*, 992-994; *P. raggiana*, 1-2, 8-10; *P. rudolphi*, 1-2, 8-10; *Parotia lawesii*, 1-2, 8-10; *Ptiloris magnificus*, 1-2, 8-10; *Rostratula benghalensis*, 48-54; *Tachycineta bicolor*, 750-753
- Mating systems, influence of frugivory on, 1-2, 8-10
- Maxson, Stephen J., see Oring, Lewis W., et al.
- May, Robert M. (Ed.), Theoretical ecology: principles and applications (rev.), 261-262
- Mayfield, Harold F., Kirtland's Warbler, victim of its own rarity?, 974-976
- Mayr, Ernst, The growth of biological thought. Diversity, evolution, and inheritance (rev.), 507-509
- McCaffery, Brian J., Breeding flight display in the female White-rumped Sandpiper (*Calidris fuscicollis*), 500-501
- McDowell, Michael K., see Olson, Deanna H., and —
- McFarland, David (Ed.), The Oxford companion to animal behavior (rev.), 1011-1012
- McGillivray, W. Bruce, Intrasexual reproductive costs for the House Sparrow (*Passer domesticus*), 25-32
- McGregor, Peter K., John R. Krebs, and Laurence M. Ratcliffe, The reactions of Great Tits (*Parus major*) to playback of degraded and undegraded songs: the effect of familiarity with the stimulus song type, 898-906
- McKelvey, Richard W., review by, 1021
- McKinney, Frank, see Cheng, Kimberly M., et al.
- McLandress, M. Robert, Temporal changes in habitat selection and nest spacing in a colony of Ross' and Lesser Snow Geese, 335-343
- McLaren, Ian A., The birds of Sable Island, Nova Scotia (rev.), 242
- McSweeney, Daniel, see Dolphin, William F., and —
- Measurements (see Weights and —)
- Meininger, Peter L., and Wim C. Mullié, The significance of Egyptian wetlands for wintering waterbirds (rev.), 540-541
- Melanerpes aurifrons*, 625
- M. formicivorus*, 731-732
- Meleagris gallopavo*, 401
- Melospiza lincolni*, 363
- M. melodia*, 186, 363, 995
- Memorial of Eisenmann, Eugene, 188-191
- Merlin, 488-490
- Merops viridis*, 425-437
- Mesembrinibis cayennensis*, 625-626
- Mewaldt, L. Richard, see Gill, Robert E., and —
- Mexico, 180-186, 373-374, 376, 551-558, 636-643, 733
- Michigan, 170-178, 217-220, 712, 974-976
- Microbates cinereiventris*, 627
- Micropanypita*, 735
- Micropsitta*, 736
- Microhopsia quicensis*, 920-925
- Migration and orientation of *Accipiter striatus*, 488-490; *Agelaius phoeniceus*, 208; *Bombicilla cedrorum*, 491-493; *Buteo jamaicensis*, 164; *Carduelis pinus*, 491-493; *Carpodacus cassinii*, 491-493; *C. mexicanus*, 491-493; *C. purpureus*, 491-493; *Catharus guttatus*, 491-493, 995; *Certhia americana*, 491-493; *Coccothraustes vespertinus*, 836; *Coccyzus americanus*, 844; *Colaptes auratus*, 491-493; *Dendroica kirtlandii*, 974-976; *D. townsendi*, 995; *D. striata*, 843; *Dumetella carolinensis*, 170-178; *Erithacus rubecula*, 601-606; *Falco columbarius*, 488-490; *F. peregrinus*, 488-490; *F. sparverius*, 488-490; *Ixoreus naevius*, 491-493, 995; *Junco hyemalis*, 491-493; landbirds, 826-851; *Loxia curvirostra*, 491-493, 836; *Melospiza melodia*, 995; *Molothrus ater*, 367; *Muscicapa sibirica*, 212-213; *Nucifraga columbiana*, 836; *Pandion haliaetus*, 488-490; *Parus gambeli*, 491-493; *Passerella iliaca*, 491-493; *Phylloscopus fuscatus*, 996; *Ploceus cucullatus*, 863-869; *Pluvialis dominica*, 616-619; *P. fulva*, 616-619; *Rallus longirostris*, 198-200; *Regulus calendula*, 491-493, 995; *R. satrapa*, 491-493; *Selasphorus flammula*, 318; *S. torridus*, 318; *Sitta canadensis*, 491-493; *S. carolinensis*, 491-493; *S. pygmaea*, 491-493; *Sterna caspia*, 374-376; *Turdus migratorius*, 491-493; *Zonotrichia atricapilla*, 843-844, 995; *Z. leucophrys*, 995
- Milkman, Roger (Ed.), Perspectives on evolution (rev.), 538
- Miller, Edward H., The structure of aerial displays in three species of Calidridinae (Scolopaciidae), 440-451
- Millington, Stephen, see Price, Trevor, et al.
- Mimicry in *Fringilla coelebs*, 493-495
- Mimodes graysoni*, 551-558
- Mimus polyglottos*, 106, 149-159, 403-413, 497-499, 551-558, 828
- Mindell, David P., Harlan's Hawk (*Buteo jamaicensis harlani*): a valid subspecies, 161-169

- Minnesota, 272-284, 382-387, 874
 Mississippi, 932-946
 Missouri, 932-946
 Mockingbird, Northern, 106, 149-159, 403-413, 497-499, 551-558, 828; Socorro, 551-558
Molothrus aeneus, 992
M. armenti, 991-992
M. ater, 139-147, 355-368, 583-591, 974
 Molts and plumages of *Agelaius phoeniceus*, 206-208;
Aquila chrysaetos, 745; *Caprimulgus cubanensis* cubanensis, 989; *C. c. eckmani*, 989; *C. c. insulaeiporum*, 989; *Chondrohierax uncinatus*, 749-750; *Chordeiles acutipennis*, 985-986; *C. gunlachi*, 984-986; *C. minor*, 984-986; *Cymbilaimus lineatus*, 647-648; *C. sanctaemariae*, 647-648; *Erithacus rubecula*, 603; *Falco peregrinus*, 269-271, 560-566; *Hirundo pyrrhonota*, 205; *H. rustica*, 205; *Microhous quixensis*, 924-925; *Netta erythrophthalma*, 220; *Nothochelidon cyanoleuca*, 203-205; *Pluvialis dominica*, 609-611, 616; *P. fulva*, 609-611, 616; *Riparia riparia*, 204; *Selasphorus ardens*, 317-319; *S. flammula*, 317-319; *S. scintilla*, 317-319; *S. simoni*, 317-319; *S. torridus*, 317-319; *Stelgidopteryx serripennis*, 204; *Tachycineta bicolor*, 204
Monasa flaviviridis, 651
 Monson, Gale, and Allan R. Phillips, Annotated checklist of the birds of Arizona (rev.), 518
 Montana, 874
 Montevicchi, W. A., review by, 257-259
 Montgomery, Robert A., review by, 538-539
 Moore, Frank R., reviews by, 252-253
 Moore, Michael C., see Wingfield, John C., et al.
 Morency, Pierre, Une journée chez les oiseaux (rev.), 792
 Mortality and survival of *Accipiter nisus*, 349-353; *Actitis macularia*, 279-281; *Aquila chrysaetos*, 630-634; *Charadrius alexandrinus*, 17, 20, 23; *Dendragapus obscurus*, 655-656; *Dendroica kirtlandii*, 974-976; *Erithacus rubecula*, 605; *Larus delawarensis*, 661-662, 666-667; *Passer domesticus*, 25-31; *Phaethon rubricauda*, 958-959; *Rissa tridactyla*, 471-472, 474-475; *Sterna caspia*, 372; *Zonotrichia leucophrys*, 816, 822-824
 Motmot, Rufous, 623-624
 de Moura Lara Resende, Susana, see de Tarso Zuquim Antas, Paulo, and —
 Mousseau Pierre, see Lagrenade, Marie-Christine, and —
 Mueller, Helmut C., reviews by, 530-531, 789-790
 Munz, Lucile Thompson, and Nedra G. Slauson, Index to illustrations of living things outside North America (rev.), 795
 Murphy, Joseph R., review by, 792-794
 Murphy, Michael T., Clutch size in the Eastern Kingbird: factors affecting nestling survival, 326-334
 Murray, Bertram G., Jr., review by, 1009-1011
 Murre, Common, 236-238, 980-981; Thick-billed, 236-238
 Murrelet, Ancient, 214; Kittlitz's, 214; Marbled, 214
Muscicapa sibirica, 212-213
 Muse, Corey, and Shirley Muse, The birds and birdlore of Samoa (rev.), 1013-1014
Myadestes townsendi, 362
Myiarchus cephalotes, 100
M. ferox, 102
M. oberi, 102
M. tuberculifer, 100
Myiozetetes granadensis, 106, 626
M. similis, 625
Myrmeciza exsul, 626
Myrmornis torquata, 627
Myrmotherula axillaris, 624
M. fulviventris, 624
M. ornata, 651
 Nebraska, 932-946
Neomorphus geoffroyi, 627
 Nest and nest site of *Actitis macularia*, 272-273; *Bubulcus ibis*, 78-81; *Casmerodius albus*, 78-81; *Charadrius alexandrinus*, 16, 18, 20-23; *Chen caerulescens*, 337-342; *C. rossii*, 337-342; *Egretta thula*, 78-81; *E. tricolor*, 78-81; *Eudocimus albus*, 78-81; *Hirundo pyrrhonota*, 795-799; *Larus atricilla*, 78-81; *L. delawarensis*, 210, 659-660; *Microhous quixensis*, 920; *Mimus polyglottos*, 497-499; *Nycticorax nycticorax*, 78-81; *Pelecanus occidentalis*, 682; *Phaethon rubricauda*, 953-959; *Phalacrocorax bougainvillii*, 682; *Pharomachrus mocinno*, 294-295; *Plegadis falcinellus*, 78-81; *Pluvialis dominica*, 615; *P. fulva*, 615; *Syrstes sibilator*, 99, 102; *Spinus cucullatus*, 738; *Sterna maxima*, 78-81; *S. sandvicensis*, 78-81; *Sturnus vulgaris*, 926-930; *Sula variegata*, 682; *Zonotrichia leucophrys*, 822
 Nest parasitism, 355-368, 717-725, 729-730
 Nestling of *Aquila chrysaetos*, 630-634; *Collocalia esculenta*, 425-437; *Hirundo pyrrhonota*, 795-799; *H. tahitica*, 425-437; *Larus delawarensis*, 661-665; *Merops viridis*, 425-437; *Rissa tridactyla*, 469-475; *Tyrannus tyrannus*, 326-332
Netta erythrophthalma, 220
 Nevada, 369-379, 886
 New Guinea, 992-994
 New Hampshire, 382-387
 New Jersey, 998-1000
 New Mexico, 45, 731-732, 889
 Newton, I., M. Marquiss, and A. Village, Weights, breeding, and survival in European Sparrowhawks, 344-354; review by, 529-530
 New York, 326-332, 382-387, 729-730
 Nichols, James D., Kenneth J. Reinecke, and James E. Hines, Factors affecting the distribution of Mallards wintering in the Mississippi Alluvial Valley, 932-946
 Nicholson, John C., The birds of Manitoulin Island and adjacent islands within Manitoulin District (rev.), 255
 Nigeria, 863-869

- Nighthawk, Antillean, 983-987; Common, 983-987;
Short-tailed, 627
- Night-Heron, Black-crowned, 76-82, 699-708
- Nightjar, Cuban, 988-991; European, 106
- Nisbet, I. C. T., Defecation behavior of territorial and nonterritorial Common Terns (*Sterna hirundo*), 1001-1002
- Nohring, Rölf (Ed.), Acta XVII Congressus Internationalis Ornithologici (rev.), 524-525
- Nonnula ruficapilla*, 651
- Norderhaug, M., E. Brun, and G. U. Møllen, Seabird resources of the Barents Sea (rev.), 257-259; Breeding biology of the Little Auk (*Platys alle*) in Svalbard (rev.), 547
- Nores, Manuel, and Dario Yzurieta, Aves de ambientes acuáticos de Córdoba y Centro de Argentina (rev.), 1018-1019
- North Atlantic, 488-490
- North Carolina, 76-82, 403-413, 414-423, 699-708, 960-968
- North Dakota, 206-208, 689-696
- Northwest Territories, 201-202, 335-342, 608-612
- Notharchus pectoralis*, 131
- Notiochelidon cyanoleuca*, 203-205
- Nucifraga columbiana*, 836
- Nutcracker, Clark's, 836
- Nuthatch, Pygmy, 491-493; Red-breasted, 491-493; White-breasted, 491-493
- Nyctea scandiaca*, 667
- Nycticorax nycticorax*, 76-82, 699-708
- Oceanites gracilis*, 801, 805
- O. oceanicus*, 801-803
- Oceanodroma leucorhoa*, 230-232, 593-599
- O. markhami*, 801
- O'Connor, Raymond J., review by, 772-775
- Ohio, 139-147, 461-467
- Ohmart, Robert D., review by, 518
- Oklahoma, 887-896
- Olendorff, Richard R., A. Dean Miller, and Robert N. Lehman, Suggested practices for raptor protection on power lines: the state of the art in 1981 (rev.), 263
- Olla, Bori L., see Grover, Jill J., and —
- Olson, Deanna H., and Michael K. McDowell, A comparison of White-bearded Manakin (*Manacus manacus*) populations and lek systems in Suriname and Trinidad, 739-742
- Olson, Storrs L., see Crawford, Robert L., et al.; Evidence for a polyphyletic origin of the Piciformes, 126-133; A hybrid between the orioles *Icterus chrysater* and *I. mesomelas*, 733-735
- O'Neill, John P., review by, 780-782
- Ontario, 583-591, 658-667, 726-727, 750-753, 887, 974-976
- Oporornis tolmiei*, 362
- Oregon, 372-373, 874
- Oreortyx pictus*, 33-47
- Orians, Gordon H., review by, 767-768
- Orientation (See Migration and —)
- Oring, Lewis W., David B. Lank, and Stephen J. Maxson, Population studies of the polyandrous Spotted Sandpiper, 272-285
- Oriole, Northern, 828, 885-896; Scott's, 828; Yellow-backed, 733-735; Yellow-tailed, 733-735
- Oropendola, Montezuma, 625
- Ortalis cinereiceps*, 623
- O. vetula*, 623
- Oryzoborus maximiliani*, 627
- Osprey, 488-490
- Osteology of *Argentavis magnificens*, 390-402; *Teratornis merriami*, 390-402
- Otis tarda*, 401
- Owl, Great Horned, 829; Snowy, 667
- Oxyruncus cristatus*, 117-124
- Oxyura jamaicensis*, 717-725
- Pachyrhamphus albogriseus*, 627
- Paganelli, Charles V., see Vleck, Carol Masters, et al.
- Page, Gary W., Lynne E. Stenzel, David W. Winkler, and Christopher W. Swarth, Spacing out at Mono Lake: breeding success, nest density, and predation in the Snowy Plover, 13-24
- Paleontology (see Fossils)
- Panama, 195-197, 319-320, 733, 920-925
- Pandion haliaetus*, 488-490
- Panyptila*, 735
- Papp, J., and Zs. Réthy, Bibliographia ornithologica hungarica (rev.), 267
- Papua New Guinea, 1-12
- Paradisaea minor*, 992-994
- P. raggiana*, 1-10
- P. rudolphi*, 1-10
- Parakeet, Crimson-fronted, 627
- Parasitism (see Nest parasitism; see also Kleptoparasitism)
- Parker, Theodore A., III, review by, 775-777
- Parkes, Kenneth C., see Jehl, Joseph R., Jr., and —
- Parmelee, David F., Bird Island in Antarctic waters (rev.), 248-249; reviews by, 515-516, 521-522
- Parotia lawesii*, 1-10
- Parrish, Jimmie R., David T. Rogers, Jr., and F. Prescott Ward, Identification of natal locales of Peregrine Falcons (*Falco peregrinus*) by trace-element analysis, 560-567
- Parus bicolor*, 414-423
- P. caeruleus*, 436
- P. gambeli*, 362, 491-493
- P. major*, 436, 898-905
- Passer domesticus*, 25-31, 141, 436, 828
- Passerculus sandwichensis*, 186
- Passerella iliaca*, 363, 491-493
- Passerina amoena*, 363
- Patterson, I. J., The Shelduck: a study in behavioural ecology (rev.), 760-762
- Patterson, Thomas L., see Petrinovich, Lewis, and —

- Paulson, Dennis R., Flocking in the Hook-billed Kite, 749-750
- Paulus, Stuart L., Dominance relations, resource use, and pairing chronology of Gadwalls in winter, 947-952
- Pedionomus torquatus*, 136
- Pelecanoides garnoti*, 801-802, 805-806, 808
- Pelecanus occidentalis*, 636-643, 680-687, 800-808
- Pelican, Brown, 636-643, 680-687, 800-808
- Penguin, Humboldt, 801-802, 804-808; Magellanic, 221-223
- Pennsylvania, 140-147, 926-930
- Perdeck, A. C., and C. Clason, Some results of waterfowl ringing in Europe (rev.), 539-540
- Peres Garat, Cesar, see Ellis, David H., and ———
- Peru, 98-103, 645-651, 680-687, 733, 800-809
- Pesticides (see Pollutants)
- Petersen, Peter C. (Ed.), Birding areas in Iowa (rev.), 264
- Petrel, Cape, 801, 805
- Petrinovich, Lewis, and Thomas L. Patterson, The White-crowned Sparrow: reproductive success (1975-1980), 811-825
- Pettingill, Olin Sewall, Jr., review by, 794
- Pewee, Western Wood, 362
- Phaenostictus mcleannani*, 624
- Phaethon rubricauda*, 953-959
- Phainopepla nitens*, 828
- Phainopepla*, 828
- Phalacrocorax bougainvillii*, 680-687, 800-808
- P. gaimardi*, 801-808
- P. olivaceus*, 801, 805-808
- P. pelagicus*, 980-981
- Phalarope, Red-necked, 214, 801, 805
- Phalaropus lobatus*, 214, 801, 805
- Pharomachrus mocinno*, 286-299
- Phasianus colchicus*, 33-47
- Pheasant, Ring-necked, 33-47
- Pheucticus ludovicianus*, 107
- P. melanocephalus*, 105-115, 186, 363
- Phillips, David, and Hugh Nash (Eds.), The condor question: captive or forever free? (rev.), 239-240
- Phoenicopiterus chilensis*, 997
- P. ruber*, 997
- Phylloscopus fuscatus*, 995-996
- Physiology of *Accipiter nisus*, 344-353; *Anas platyrhynchos*, 302-309; *Apus affinis*, 426, 428, 430, 435; *A. apus*, 435; *Branta canadensis*, 670-678; *Collocalia esculenta*, 427-437; *Delichon urbica*, 435-436; *Dumetella carolinensis*, 170-178; *Himatione sanguinea*, 977-978; *Hirundo rustica*, 435; *H. tahitica*, 427-437; *Merops viridis*, 427-437; *Mimus polyglottos*, 149-159; *Parus caeruleus*, 436; *Passer domesticus*, 436; *Riparia riparia*, 435-436; *Rostrihamus sociabilis*, 90; *Sturnus vulgaris*, 436; *Zonotrichia leucophrys*, 56-61
- Physiology, egg-laying, 344-353; energy cost of activities, 90, 149-159, 344-353, 429-431, 436; flight, 149-159; forced copulation, 302-309; growth, 427-437; hormones, 56-61; incubation, 149-159, 670-678; metabolism, 149-159, 427-437, 977-978; migration, 170-178; nutrient reserves, 56-61, 170-178, 344-353, 677; temperature regulation, 153, 429, 431, 436; water balance, 427-428; water loss from eggs, 76-82
- Pierpont, Nina, and John W. Fitzpatrick, Specific status and behavior of *Cymbilaimus sanctaemariae*, the Bamboo Antshrike, from southwestern Amazonia, 645-652
- Piezorhina cinerea*, 228
- Pintail, Northern, 719-721, 950
- Pipilo aberti*, 107
- P. chlorurus*, 363
- P. erythrophthalmus*, 186, 226, 363
- P. fuscus*, 106
- Piranga flava*, 828
- P. ludoviciana*, 363
- Pitylus grossus*, 626
- Platyspiza crassirostris*, 228
- Plegadis falcinellus*, 76-82, 960-968
- Ploceus cucullatus*, 863-869
- Ploger, Bonnie J., see Schnell, Gary D., et al.
- Plover, Snowy, 13-23
- Plumages (see Molts and ———)
- Plumeleteer, Bronze-tailed, 623
- Pluvialis dominica*, 607-619
- P. fulva*, 607-619
- Pochard, South American, 220
- Podilymbus podiceps*, 220
- Poecilotriccus albifacies*, 651
- Pollutants, 699-708
- Polyandry (see Mating systems)
- Polygamy (see Mating systems)
- Polygyny (see Mating systems)
- Poospiza hispaniolensis*, 228
- Power, Dennis M., Variability in island populations of the House Finch, 180-187; (Ed.), The California islands: proceedings of a multidisciplinary symposium (rev.), 783-785
- Powers, Kevin D., see Kerlinger, Paul, et al.
- Prairie Chicken, Lesser, 33-47
- Prater, A. J., Estuary birds of Britain and Ireland (rev.), 262-263
- Predation by *Circus cyaneus*, 279; *Corvus brachyrhynchos*, 667; *C. corax*, 16, 21-22; *Larus californicus*, 16, 21-22; *Nyctea scandiaca*, 667; *Quiscalus quiscula*, 278
- Predation on *Actitis macularia*, 273-274, 278-279; *Charadrius alexandrinus*, 16, 22-23; *Chen caerulescens*, 340; *C. rossii*, 340; *Dendragapus obscurus*, 655-656; *Larus delawarensis*, 667; *Mimodes graysoni*, 555-558; *Mimus polyglottos*, 157-158, 497-499; *Pharomachrus mocinno*, 296-297; *Tyrannus tyrannus*, 329; *Zenaidura graysoni*, 555-558; *Zonotrichia leucophrys*, 816-818, 821-824
- Price, Trevor, Stephen Millington, and Peter Grant, Helping at the nest in Darwin's finches as misdirected parental care, 192-194
- Prince, Harold H., see Rabe, Dale L., et al.
- Procnias tricarunculata*, 289

- Pteroptochos megapodius*, 132
Ptiloris magnificus, 1-10
Ptychoramphus aleuticus, 214
 Puerto Rico, 737-739
 Puffin, Horned, 593-599
Puffinus griseus, 801-808
 Pulich, Warren M., Birds of Tarrant County, second edition (rev.), 264-265
 Pygmy-Tyrant, Scale-crested, 626
 Pyle, Peter B., David F. DeSante, Robert J. Boekelheide, and Robert P. Henderson, A Dusky Warbler (*Phylloscopus fuscatus*) on Southeast Farallon Island, California, 995-996
- Quail, Bobwhite, 33-47; California, 33-47; Common, 33-47; Gambel's, 33-47; Montezuma, 33-47; Mountain, 33-47; Scaled, 33-47
 Québec, 210-212, 974-976
 Quetzal, Resplendent, 286-299
 Quinney, Terry E., Tree Swallows cross a polygyny threshold, 750-754
Quiscalus quiscula, 107, 278
- Rabe, Dale L., Harold H. Prince, and Donald L. Beaver, Feeding-site selection and foraging strategies of American Woodcock, 711-716
 Raffaele, Herbert A., The raising of a ghost—*Spinus cucullatus* in Puerto Rico, 737-739
 Rahn, Hermann, see Vleck, Carol Masters, et al.
 Raikow, Robert J., and Joel Cracraft, Monophyly of the Piciformes: a reply to Olson, 134-138
 Rail, Clapper, 198-200
Rallus longirostris, 198-200
Ramphastos sulfuratus, 624
R. swainsonii, 624
R. toco, 127
Ramphotrigon megacephala, 651
 Ratcliffe, Laurence M., see McGregor, Peter K., et al.
 Ratti, J. T., L. D. Flake, and W. A. Wentz (Compilers), Waterfowl ecology and management: selected readings (rev.), 535-536
 Raveling, Dennis G., see Aldrich, Thomas W., and ———; review by, 760-762
 Raven, Common, 16, 21-23, 478-479
 Redhead, 717-725
Regulus calendula, 491-493, 995
R. satrapa, 361-362, 491-493
 Reidinger, Russell F., Jr., see Mason, J. Russell, and ———
- Reinarda, 735
 Reinecke, Kenneth J., see Nichols, James D., et al.
Rhipidura leucophrys, 106
 Rhode Island, 699-708
Rhytipterna holerythra, 102
R. immunda, 100
 Richmond, Milo E., see Haramis, G. Michael, et al.
 Ricklefs, Robert E., Brewster Award, 268; and Cynthia A. Smeraski, Variation in incubation period within a population of the European Starling, 926-931; see Clark, L., et al.
 Riflebird, Magnificent, 1-10
 Ringelman, James K., reviews by, 539-541
Riparia riparia, 204, 435-436
 van Riper, Charles III, see Weathers, Wesley W., et al.
 Rising, J. D., The progress of oriole hybridization in Kansas, 885-897
Rissa tridactyla, 469-475
 Ritchison, Gary, The function of singing in female Black-headed Grosbeaks (*Pheucticus melanocephalus*): family-group maintenance, 105-116
 Ritter, Lyman V., see Verner, Jared, and ———
 Robin, American, 106, 362, 491-493, 829; European, 106, 601-606; Mountain, 289
 Robinson, William L., Fool hen: the Spruce Grouse on the Yellow Dog Plains (rev.), 253-254
 Rogers, David T., Jr., see Parrish, Jimmie R., et al.
 Rohwer, Sievert, Formalizing the avoidance-image hypothesis: critique of an earlier prediction, 971-974
Rostratula benghalensis, 48-54
Rostrhamus sociabilis, 84-91, 93-97
 Rubinoff, Roberta Wolff, see Caldwell, Gloria Sullivan, and ———
 Russell, Stephen M., review by, 525-528
 Ryder, John P., reviews by, 242, 255; see Kovacs, Kit M., and ———; Sex ratio and egg sequence in Ring-billed Gulls, 726-728
Rynchops niger, 997
- Salomonsen, Finn, Ornithological and ecological studies in S.W. Greenland (59°46'-62°27'N Lat.) (rev.), 249-250; The seabirds of Greenland (rev.), 257-259
 Sanderling, 447-449
 Sanderson, Glen C. (Ed.), Management of migratory shore and upland game birds in North America (rev.), 538-539
 Sandpiper, Baird's, 446, 448-449; Broad-billed, 448-449; Buff-breasted, 488; Curlew, 447, 449; Least, 444, 446-449; Purple, 449; Rock, 448-449; Semipalmated, 440, 444, 450; Spoon-billed, 448-449; Spotted, 272-284; Stilt, 440-444, 446-450; Western, 447; White-rumped, 448-449, 500-501
 Sapsucker, Red-breasted, 871-884; Red-naped, 871-884; Williamson's, 871-884; Yellow-bellied, 871-884
Sarcoramphus papa, 395, 398
 Sauer, Gordon C., John Gould. The bird man. A chronology and bibliography (rev.), 1016-1017
 Savage, C. (Ed.), Pheasants in Asia 1979. Proceedings of the First International Symposium on Pheasants in Asia, Kathmandu, Nepal, 21-23 November 1979 (rev.), 263-264
 Schnell, Gary D., Barbara L. Woods, and Bonnie J. Ploger, Brown Pelican foraging success and kleptoparasitism by Laughing Gulls, 636-644

- Schreiber, Ralph W., reviews by, 509-511, 794; see Clark, L., et al.
- Schroeder, Donna J., and R. Haven Wiley, Communication with shared song themes in Tufted Titmice, 414-424
- Schultz, Thomas D., Opportunistic foraging of Western Kingbirds on aggregations of tiger beetles, 496-497
- Scolaro, José A., Martin A. Hall, and Isaias M. Ximénez, The Magellanic Penguin (*Spheniscus magellanicus*): sexing adults by discriminant analysis of morphometric characters, 221-224
- Scolopota minor*, 711-716
- Scotland, 344-353
- Scott, D. A., A preliminary inventory of wetlands of international importance for waterfowl in west Europe and northwest Africa (rev.), 541
- Scott, D. M., and C. Davison Ankney, Commentary: Do Darwin's finches lay small eggs?, 226-227; and C. Davison Ankney, The laying cycle of Brown-headed Cowbirds: passerine chickens?, 583-592
- Scott, Jack Denton, Orphans from the sea (rev.), 794-795
- Scott, Thomas W., and Judith Grumstrup-Scott, Why do Brown-headed Cowbirds perform the head-down display?, 139-148
- Seedeater, Slate-colored, 626-627; Variable, 106
- Selasphorus ardens*, 311-324
- S. flammula*, 311-324
- S. platycercus*, 324
- S. scintilla*, 311-324
- S. simoni*, 311-324
- S. torridus*, 311-324
- S. "underwoodii"*, 321, 324
- Serinus canaria*, 493-495
- Sharpbill, Costa Rican, 117-124
- Shearwater, Sooty, 801-808
- Shields, William M., Philopatry, inbreeding, and the evolution of sex (rev.), 767-768
- Short, Lester L., Woodpeckers of the world (rev.), 511-514
- Shrike, Loggerhead, 106
- Sialia currucoides*, 362
- S. mexicana*, 362
- S. sialis*, 106
- Siberia, 608-619
- Sicalis flaveola*, 228
- Sicklebill, Black-billed, 1-10
- Simoxenops ucayalae*, 651
- Sirystes, 98-103
- Sirystes sibilator*, 98-103
- Siskin, Pine, 491-493; Red, 737-739
- Sitta canadensis*, 491-493
- S. carolinensis*, 491-493
- S. pygmaea*, 491-493
- Skimmer, Black, 997
- Skutch, Alexander F., Birds of tropical America (rev.), 1014-1015
- Slater, P. J. B., Chaffinch imitates Canary song elements and aspects of organization, 493-495
- Sluys, Ronald, Commentary: Evidence for hybrid murre reconsidered, 236-237
- Smeraski, Cynthia A., see Ricklefs, Robert E., and —
- Smith, Kimberly G., reviews by, 769-771
- Smithe, Frank B., Naturalist's color guide part III (rev.), 521-522
- Snipe, Painted, 48-54
- Snow, D. W., The cotingas (rev.), 780-782
- Snyder, Noel F. R., and Herbert W. Kale, II, Mollusk predation by Snail Kites in Colombia, 93-97
- Solitaire, Townsend's, 362
- Song (see Vocalizations)
- Sonograms of *Calidris alpina*, 445-446; *C. himantopus*, 441-443; *C. pusilla*, 447-449; *Charadrius vociferus*, 854; *Cymbilaimus lineatus*, 649; *C. sanctaemariae*, 649; *Fringilla coelebs*, 494; *Hirundo pyrrhonota*, 797; *Oxyruncus cristatus*, 119; *Parus bicolor*, 415-418; *P. major*, 900; *Pheucticus melanocephalus*, 108; *Serinus canaria*, 494; *Zenaida graysoni*, 909-910; *Z. macroura*, 909-910; *Zonotrichia leucophrys*, 454, 572, 854
- South Dakota, 874, 932-946
- Southern, Linda Kinkel, reviews by, 264
- Southern, William E., Editor of Reviews, 239-267, 507-549, 760-795, 1005-1021; reviews by, 263-267, 549, 794-795, 1012-1013; see Elston, Sue F., and —
- Sparrow, Chipping, 363; Fox, 363, 491-493; Golden-crowned, 843-844, 995; Grasshopper, 106; Henslow's, 504-505; House, 25-31, 141, 436, 828; Lincoln's, 363; Orange-billed, 107; Sage, 828; Song, 363, 995; White-crowned, 56-61, 106, 363, 452-460, 568-581, 811-824, 995
- Sparrowhawk, European, 344-353
- Spector, David A., see Kroodsmas, Donald E., and —
- Spheniscus humboldti*, 801-802, 804-808
- S. magellanicus*, 221-223
- Sphyrapius nuchalis*, 871-884
- S. ruber*, 871-884
- S. thyroideus*, 871-884
- S. varius*, 871-884
- Spinus cucullatus*, 738
- Spizella passerina*, 186, 226, 363
- S. pusilla*, 226
- Sporophila aurita*, 106
- S. peruviana*, 228
- S. schistacea*, 626-627
- Stacey, Peter B., and Thomas C. Edwards, Jr., Possible cases of infanticide by immigrant females in a group-breeding bird, 731-733
- Starling, European, 436, 926-930
- Steamer-Duck, Flying, 485-486; Magellanic Flightless, 485-486; White-headed Flightless, 485-486
- Steatornis*, 736
- Steenhof, K., M. N. Kochert, and J. H. Doremus,

- Nesting of subadult Golden Eagles in southwestern Idaho, 743-747
- Stelgidopteryx serripennis*, 204, 362
- Stenzel, Lynne E., see Page, Gary W., et al.
- Stephanoaetus coronatus*, 631, 633
- Stercorarius parasiticus*, 971-973
- S. pomarinus*, 801-802, 805-806, 808
- Sterling, Keir B., review by, 245-246
- Sterna caspia*, 369-379
- S. elegans*, 801-802
- S. hirundo*, 1001-1002
- S. lorata*, 801, 805
- S. maxima*, 76-82
- S. paradisaea*, 804, 806
- S. sandvicensis*, 76-82, 801, 805
- Stevenson, Henry M., Eugene Eisenmann, Chester Winegarner, and Alvan Karlin, Notes on Common and Antillean nighthawks of the Florida Keys, 983-988
- Stiles, F. Gary, Commentary: On sightings and specimens, 225-226; Systematics of the southern forms of *Selasphorus* (Trochilidae), 311-325; and Bret Whitney, Notes on the behavior of the Costa Rican Sharpbill (*Oxyruncus cristatus frater*), 117-125
- Stilt, Black-necked, 997
- Stint, Little, 447-448; Long-toed, 449; Temminck's, 283-284, 448-449
- Stoddard, Philip K., and Michael D. Beecher, Parental recognition of offspring in the Cliff Swallow, 795-799
- Stork, Marabou, 401; Saddle-billed, 400
- Storm-Petrel, Elliot's, 801, 805; Leach's, 230-232, 593-599; Markham's, 801; Wilson's, 801-803
- Sturnus vulgaris*, 436, 926-930
- Sula nebulosa*, 801-802, 805
- S. variegata*, 680-687, 800-808
- Surfbird, 446
- Suriname, 739-742
- Sutherland, Patricia, The pet bird handbook (rev.), 256
- Swallow, Bank, 435-436; Barn, 362, 998-1000; Blue-and-White, 203-205; Cliff, 795-799; Northern Rough-winged, 362; Pacific, 425-437; Tree, 750-753
- Swan, Mute, 401
- Swarth, Christopher W., see Page, Gary W., et al.
- Swift, Gray-rumped, 627; House, 426, 428, 430, 435
- Swiftlet, White-bellied, 425-437
- Synthliboramphus antiquus*, 214
- Tachornis*, 735
- Tachycineta bicolor*, 204, 750-753
- Tachyeres leucocephalus*, 485-486
- T. patagonicus*, 485-486
- T. pteneres*, 485-486
- Tachyphonus delatrii*, 626
- Tanager, Carmiol's, 627; Hepatic, 828; Palm, 627; Tawny-crested, 626; Western, 363
- de Tarso Zuquim Antas, Paulo, and Susana de Moura Lara Resende, First record of the South American Pochard in central Brazil, 220-221
- Taxonomy of *Alectoris chukar*, 42-43; *Ammodramus henslowii* *henslowii*, 504-505; *A. h. houstonensis*, 504-505; *A. h. susurrans*, 504-505; *Aphriza virgata*, 446; *Argentavis magnificens*, 390-391; *Buteo jamaicensis*, 161-167; *Calidris alba*, 447-449; *C. alpina*, 446-450; *C. bairdii*, 446, 448-449; *C. canutus*, 448; *C. ferruginea*, 447, 449; *C. fuscicollis*, 448-449; *C. himantopus*, 446-450; *C. maritima*, 449; *C. mauri*, 447; *C. minuta*, 447-448; *C. minutilla*, 446-449; *C. ptilocnemis*, 448-449; *C. pusilla*, 446-450; *C. subminuta*, 449; *C. temminckii*, 448-449; *Callipepla squamata*, 42-43; *Cathartornis gracilis*, 390-391; *Chordeiles gundlachii*, 987; *C. minor*, 987; *Colinus virginianus*, 42-43; *Coturnix coturnix*, 42-43; *Cymbilaimus lineatus*, 650-651; *C. sanctaemariae*, 650-651; *Cyrtonyx montezumae*, 42-43; *Eurynorhynchus pygmaeus*, 448-449; *Falco kreyenborgi*, 269-271; *Icterus chrysater*, 735; *I. mesomelas*, 735; *Limicola falcinellus*, 448-449; *Lophortyx californicus*, 42-43; *L. gambelii*, 42-43; *Molothrus artemi*, 992; *Oceanodroma leucorhoa*, 232; *Oreortyx pictus*, 42-43; *Oxyruncus cristatus*, 124; *Pedionomus torquatus*, 136; *Phasianus colchicus*, 42-43; *Piciformes*, 126-133, 134-138; *Pluvialis dominica*, 615-619; *P. fulva*, 615-619; *Selasphorus ardens*, 311-324; *S. flammula*, 311-324; *S. platycircus*, 324; *S. scintilla*, 311-324; *S. simoni*, 311-324; *S. torridus*, 311-324; *S. "underwoodii"*, 321, 324; *Sirystes sibilator*, 98-103; *Sphyrapicus nuchalis*, 874-881; *S. ruber*, 874-881; *S. thyroideus*, 874-881; *S. varius*, 874-881; *Teratornis incredibilis*, 390-391; *T. merriami*, 390-391; *Thamnophilus dolius*, 650-651; *T. multistriatus*, 650-651; *T. palliatus*, 650-651; *Tryngites subruficollis*, 448; *Tympanuchus pallidicinctus*, 42-43; *Zenaidura macroura*, 913; *Z. graysoni*, 913, 917-918; *Z. macroura*, 913, 917-918
- Taylor, Walter Kingsley, see Crawford, Robert L., et al.
- Teal, Brazilian, 220; Cinnamon, 719-721; Green-winged, 950
- Temple, Stanley A., reviews by, 239-240, 263
- Tennessee, 932-946
- Teratornis incredibilis*, 390, 396
- T. merriami*, 390-402
- Tern, Arctic, 804, 806; Black Noddy, 623; Caspian, 369-379; Common, 1001-1002; Elegant, 801-802, 805; Inca, 801-808; Peruvian, 801, 805; Royal, 76-82; Sandwich, 76-82, 801, 805
- Terpsiphone viridis*, 106
- Territory of *Anas platyrhynchos*, 691, 693-695; *Aquila chrysaetos*, 744-746; *Dendragapus obscurus*, 653-657; *Dendroica kirtlandii*, 974; *Larus delawarensis*, 660; *L. marinus*, 65, 67, 69-72; *Manacus manacus*, 741-742; *Microhousia quixensis*, 921; *Mimus polyglottos*, 156-159; *Oxyruncus cristatus*, 119, 121-122; *Parus major*, 898-905; *Pelecanus occidentalis*, 680-687; *Phalacrocorax bougainvillii*, 680-687; *Sterna hirundo*,

- 1001-1002; *Sula variegata*, 680-687; *Zonotrichia leucophrys*, 452-460
- Tetrao urogallus*, 401
- Texas, 504-505, 560-566, 728-729
- Thamnophilus devillei*, 651
- T. doliatus*, 650
- T. multistriatus*, 650
- T. palliatus*, 650
- Thompson, Daniel B., see Tomback, Diana F., et al.
- Thrasher, Brown, 106
- Thraupis palmarum*, 627
- Thrush, Gray-cheeked, 106; Hermit, 362, 491-493, 995; Russet Nightingale, 106; Varied, 491-493, 995
- Thryothorus atrogularis*, 627
- T. genibarbis*, 651
- T. nigricapillus*, 627
- T. thoracicus*, 627
- Tiaris canora*, 106
- Tigrisoma lineatum*, 622
- Tilman, David, Resource competition and community structure (rev.), 762-764
- Tit, Blue, 436; Great, 436, 898-905
- Titmouse, Tufted, 414-423
- Tomalin, Ruth, W. H. Hudson—a biography (rev.), 790-792
- Tomback, Diana F., Daniel B. Thompson, and Myron Charles Baker, Dialect discrimination by White-crowned Sparrows: reactions to near and distant dialects, 452-460
- Tonni, Eduardo P., see Campbell, Kenneth E., Jr., and
- Toucan, Chestnut-mandibled, 624; Keel-billed, 624
- Toucanet, Emerald, 289
- Towhee, Albert's, 107; Brown, 106; Green-tailed, 363; Rufous-sided, 363
- Townsend, Colin R., and Peter Callow (Eds.), Physiological ecology: an evolutionary approach to resource use (rev.), 787-789
- Toxostoma rufum*, 106
- Trachyphonus darnaudii*, 128, 131
- T. purpuratus*, 129
- Trainer, Jill M., Changes in song dialect distributions and microgeographic variation in song of White-crowned Sparrows (*Zonotrichia leucophrys nuttalli*), 568-582
- Tree-Duck, Black-bellied, 220; White-faced, 220
- Tringa nebularia*, 106
- Trinidad, 739-742
- Troglodytes aedon*, 106
- T. troglodytes*, 362
- Tropicbird, Red-tailed, 953-959
- Tryngites subruficollis*, 448
- Turdus merula*, 106
- T. migratorius*, 106, 362, 491-493, 829
- T. plebejus*, 289
- Turkey, 401
- Tympanuchus pallidicinctus*, 33-47
- Tyrannulet, Yellow, 627
- Tyrannus tyrannus*, 326-332
- T. verticalis*, 496
- Tyrant, Long-tailed, 625
- Udvardy, Miklos D. F., reviews by, 259-261, 266-267, 518-520, 1018-1019
- Uria aalge*, 236-238, 980-981
- U. lomvia*, 236-238
- Utah, 105-115, 717-724
- Vaughan, Richard, Arctic summer—birds in north Norway (rev.), 259
- Venezuela, 203-205, 733, 749-750
- Vermivora luciae*, 828
- V. ruficapilla*, 362, 625
- Verner, Jared, and Lyman V. Ritter, Current status of the Brown-headed Cowbird in the Sierra National Forest, 355-368
- Vickery, Peter D., Annotated checklist of Maine birds (rev.), 265-266
- Village, A., see Newton, I., et al.
- Viprentsev, Boris N., Birds of the Soviet Union. A sound guide (rev.), 548-549
- Vireo gilvus*, 361-362, 367
- V. huttoni*, 362
- V. solitarius*, 362
- Vireo, Hutton's, 362; Solitary, 362; Warbling, 361-362, 367
- Vleck, Carol Masters, David Vleck, Hermann Rahn, and Charles V. Paganelli, Nest microclimate, water-vapor conductance and water loss in heron and tern eggs, 76-83
- Vleck, David, see Vleck, Carol Masters, et al.
- Vocalizations of *Ammodramus savannarum*, 106; *Arremon aurantiostris*, 107; *Cacicus uropygialis*, 625; *Calidris alba*, 447-449; *C. alpina*, 440-450; *C. bairdii*, 446, 448-449; *C. canutus*, 448; *C. ferruginea*, 447, 449; *C. fuscicollis*, 448-449, 500-501; *C. himantopus*, 440-450; *C. maritima*, 449; *C. mauri*, 447; *C. minuta*, 447-448; *C. minutilla*, 444, 446-449; *C. ptilocnemis*, 448-449; *C. pusilla*, 440-450; *C. subminuta*, 449; *C. temminckii*, 448-449; *Caprimulgus cubanensis cubanensis*, 990-991; *C. c. eckmani*, 990-991; *C. c. insulaeapinorum*, 990-991; *C. europaeus*, 106; *Cardinalis cardinalis*, 107; *Carduelis chloris*, 107; *C. lawrencei*, 107; *C. tristis*, 107; *Catharus minimus*, 106; *C. occidentalis*, 106; *Chamaea fasciata*, 106; *Chasiempis sandwichensis*, 106; *Chordeiles gundlachi*, 985-986; *C. minor*, 985-986; *Cinclus cinclus*, 106; *C. mexicanus*, 106; *Cracticus* sp., 107; *Cymbilaimus lineatus*, 645-646, 648-649; *C. sanctaemariae*, 645-646, 648-649; *Cyphorhinus phaeocephalus*, 625; *Dumetella carolinensis*, 106; *Erithacus rubecula*, 106; *Eurynorhynchus pygmaeus*, 448-449; *Fringilla coelebs*, 493-495; *Grallina cyanoleuca*, 107; *Gymnorhina tibicen*, 107; *Hirundo pyrrhonota*, 795-799; *Lanius ludovicianus*, 106; *Larus marinus*, 65-67, 69-73; *Limicola falcinellus*, 448-449; *Loxia curvirostra*, 107; *L. leucoptera*, 107; *Malurus cyaneus*, 106; *Mimus polyglottos*, 106, 403-413; *Myiozetetes granadensis*, 106;

- Myrmotherula axillaris*, 624; *M. fulviventris*, 624; *Oceanodroma leucorhoa*, 232; *Oxyruncus cristatus*, 119-123; *Parus bicolor*, 414-423; *P. major*, 898-905; *Phaeucticus ludovicianus*, 107; *P. melanocephalus*, 105-115; *Pipilo aberti*, 107; *P. fuscus*, 106; *Pitylus grossus*, 626; *Quiscalus quiscula*, 107; *Ramphastos swainsonii*, 624; *Rhipidura leucophrys*, 106; *Serinus canaria*, 493-495; *Sialia sialis*, 106; *Sirystes sibilator*, 98-99, 101; *Sporophila aurita*, 106; *S. schistacea*, 626-627; *Tachyphonus delatrii*, 626; *Terpsiphone viridis*, 106; *Tiaris canora*, 106; *Toxostoma rufum*, 106; *Tringa nebularia*, 106; *Troglodytes aedon*, 106; *Tryngites subruficollis*, 448; *Turdus merula*, 106; *T. migratorius*, 106; *Zenaidura graysoni*, 908-911, 917; *Z. macroura*, 908-911, 917; *Zonotrichia leucophrys*, 106, 452-460, 568-581
- Vocalizations, relationship to syringeal structure, 853-860
- Volatinia jacarina*, 228
- Vuilleumier, François, reviews by, 540-543
- Vultur gryphus*, 395, 398
- Vulture, Black, 395, 398; Griffon, 401; King, 395, 398; Turkey, 395, 398
- Wagtail, Willie, 106
- Walsberg, Glenn E., review by, 777-779
- Walter, Hartmut, review by, 528-529
- Warbler, Blackpoll, 843; Black-throated Green, 382-387; Dusky, 995-996; Golden-cheeked, 829; Hermit, 361-362; Kirtland's, 974-976; Lucy's, 828; MacGillivray's, 362; Nashville, 362, 625; Townsend's, 995; Wilson's, 363; Yellow, 362; Yellow-rumped, 360, 362, 828
- Ward, F. Prescott, see Parrish, Jimmie R., et al.
- Washington, 56-61, 369-379, 477-483, 795-799, 979-981
- Watling, Dick, Birds of Fiji, Tonga, and Samoa (rev.), 543-545
- Waxwing, Cedar, 491-493
- Weather, influence on (see Environment, influence on)
- Weathers, Debra L., see Weathers, Wesley W., et al.
- Weathers, Wesley W., Debra L. Weathers, and Charles van Riper III, Basal metabolism of the Apapane: comparison of freshly caught birds with long-term captives, 977-978
- Weaver, Buffalo, 501-504
- Weaver, Peter, The bird-watcher's dictionary (rev.), 264
- Weaverbird, Village, 863-869
- Weights and measurements of *Accipiter nisus*, 344-353; *Aimophila stolzmanni*, 228; *Ammodramus henslowii houstonensis*, 504-505; *Aquila chrysaetos*, 401; *Argentavis magnificens*, 390-402; *Branta canadensis*, 401, 673; *Camarhynchus parvulus*, 229; *Caprimulgus cubanensis cubanensis*, 989-990; *C. c. eckmani*, 989-990; *C. c. insulaepinorum*, 989-990; *Carpodacus mexicanus*, 183; *Cathartes aura*, 395, 398; *Certhidea olivacea*, 226, 229; *Collocalia esculenta*, 426-436; *Coragyps atratus*, 395, 398; *Cygnus olor*, 401; *Cymbailaimus lineatus*, 646-648; *C. sanctaemariae*, 646-648; *Diomedea exulans*, 395-398, 401; *Diphyllodes magnificus*, 2; *Dumetella carolinensis*, 173-174; *Epimachus albertii*, 2; *Erithacus rubecula*, 603; *Fulmarus glacialis*, 594; *Geospiza conirostris*, 226, 228; *G. difficilis*, 226, 229; *G. fuliginosa*, 229; *G. magnirostris*, 226, 228; *Gymnogyps californianus*, 393-401; *Gyps fulvus*, 401; *Himatione sanguinea*, 977-978; *Hirundo pyrrhonota*, 205; *H. rustica*, 205; *H. tahitica*, 426-436; *Icterus galbula*, 88; 890; *Larus delawarensis*, 661, 663-665; *Leptoptilos crumeniferus*, 401; *Lophorina superba*, 2; *Manacus manacus*, 741; *Manucodia chalybatus*, 2; *M. keraudrenii*, 2; *Meleagris gallopavo*, 401; *Merops viridis*, 426-436; *Microrhophias quixensis*, 924; *Molothrus ater*, 584-585, 588; *Muscicapa sibirica*, 213; *Notiochelidon cyanoleuca*, 203-205; *Otis tarda*, 401; *Paradisaea raggiana*, 2; *P. rudolphi*, 2; *Parotia lawesii*, 2; *Passer domesticus*, 27-28, 30; *Pharomachrus mocinno*, 291; *Phylloscopus fuscatus*, 995; *Piezorhina cinerea*, 228; *Pipilo erythrophthalmus*, 226; *Platyspiza crassirostris*, 228; *Ploceus cucullatus*, 867; *Pluvialis dominica*, 609; *P. fulva*, 609; *Poospiza hispaniolensis*, 228; *Ptiloris magnificus*, 2; *Riparia riparia*, 204; *Rissa tridactyla*, 472-474; *Sarcoramphus papa*, 395, 398; *Selasphorus ardens*, 316-317; *S. flammula*, 316-317; *S. scintilla*, 316-317; *S. simoni*, 316-317; *S. torridus*, 316-317; *S. "underwoodii"*, 321; *Sicalis flaveola*, 228; *Spheniscus magellanicus*, 221; *Spizella passerina*, 226; *S. pusilla*, 226; *Sporophila peruviana*, 228; *Stelgidopteryx serripennis*, 204; *Tachycineta bicolor*, 204, 752; *Teratornis merriami*, 390-402; *Tetrao urogallus*, 401; *Thamnophilus dolatus*, 650; *T. multistriatus*, 650; *T. palliatus*, 650; *Tyrannus tyrannus*, 328-329; *Volatinia jacarina*, 228; *Vultur gryphus*, 395, 398; *Zenaidura auriculata*, 914; *Z. graysoni*, 913-915; *Z. macroura*, 913-915; *Zonotrichia albicollis*, 59, 226
- Wenner, Lettie M., The environmental decade in court (rev.), 522-523
- Weseloh, D. V. (Chip), review by, 1019-1020
- Wheelwright, Nathaniel T., Fruits and the ecology of Resplendent Quetzals, 286-301
- Whistling Duck, Black-bellied, 728-729
- White, Gary C., David R. Anderson, Kenneth P. Burnham, and David L. Otis, Capture-recapture and removal methods for sampling closed populations (rev.), 794
- Whitney, Bret, see Stiles, F. Gary, and —
- Whitney, Stephen, A field guide to the Grand Canyon (rev.), 792-794
- Wiens, John A., reviews by, 248-249, 263-267, 516-517, 762-764, 771-772, 795
- Wigeon, American, 949-950
- Wiley, R. Haven, see Schroeder, Donna J., and —
- Wilsonia pusilla*, 363
- Winegarner, Chester, see Stevenson, Henry M., et al.
- Wingate, David B., A record of the Siberian Flycatch-

- er (*Muscicapa sibirica*) from Bermuda: an extreme extra-limital vagrant, 212-213
- Wingfield, John C., Michael C. Moore, and Donald S. Farner, Endocrine responses to inclement weather in naturally breeding populations of White-crowned Sparrows (*Zonotrichia leucophrys pugetensis*), 56-62
- Winkler, David W., see Page, Gary, W., et al.
- Wisconsin, 974-976, 997
- Woodcock, American, 711-716
- Woodcreeper, Black-striped, 627
- Woodpecker, Acorn, 731-732; Cinnamon, 627; Golden-fronted, 625
- Woods, Barbara L., see Schnell, Gary D., et al.
- Woods, Robin W., Falkland Islands birds (rev.), 794
- Woolfenden, Glen E., review by, 264, 524-525
- Wren, Bay, 627; Black-throated, 627; Blue, 106; Canyon, 362; House, 106; Marsh, 829; Song, 627; Stripe-breasted, 627; Winter, 362
- Wrentit, 106
- Xema sabini*, 801-808
- Ximénez, Isaias M., see Sclaro, José A., et al.
- Xiphorhynchus lachrymosus*, 627
- Yang, Suh Y., see Gutiérrez, R. J., et al.
- Yapp, Brunson, Birds in medieval manuscripts (rev.), 265
- Yellowthroat, Common, 828
- Yucon, 608-612
- Zar, Jerrold H., review by, 787-789
- Zenaida auriculata*, 907-919
- Z. graysoni*, 551-558, 907-919
- Z. macroura*, 551-558, 828, 907-919
- Zimmerman, Dale A., review by, 1005-1009
- Zink, Robert M., see Gutiérrez, R. J., et al.; see Johnson, Ned K., and ———
- Zonotrichia albicollis*, 226
- Z. atricapilla*, 843-844, 995
- Z. leucophrys*, 56-61, 106, 363, 452-460, 568-581, 811-824, 854, 995
- Zwicker, Fred C., see Jamieson, Ian G., and ———